

**This document was generated by the Reference Group to the United Nations on HIV and Injecting Drug Use.**

**The data included in this report reflect the results of a systematic search and review of data on a range of indicators reflecting the extent of services provided to people who inject drugs.**

**These data have been searched, reviewed and extracted according to decision rules developed by the Reference Group.**

**Some data have been adjusted to facilitate estimates of standard indicators across countries.**

**Details of the process for searching, grading and including data, along with their interpretation, are detailed in:**

Mathers B, Degenhardt L, Ali H, Wiessing L, Hickman M, Mattick R, et al. HIV prevention, treatment and care for people who inject drugs: A systematic review of global, regional and national coverage. *The Lancet* 2010. DOI:10.1016/S0140-6736(10)60232-2.

**For more information on the Reference Group, please go to: [www.IDURefGroup.Com](http://www.IDURefGroup.Com)**

Section	Page
Estimated number of people who inject drugs and number of injectors who are living with HIV	4
<b>1. Needle and syringe programs (NSPs)</b>	<b>5</b>
NSP 1: Availability of NSPs	
NSP 2: Number of NSP sites	
NSP 3: Number of pharmacy sites where needles and syringes are available for purchase	
NSP 4: Total number of sites where needles and syringes are available	
NSP 5: Number of individual IDUs in contact with NSPs in a 12 month period	
NSP 6: Number of NSP occasions of service (client contacts) in a 12 month period	
NSP 7: Number of needles and syringes distributed by NSPs in a 12 month period	
<b>2. Opioid substitution programs (OST)</b>	<b>10</b>
OST 1: Availability of opioid substitution treatment (OST)	
OST 2: Availability of methadone maintenance treatment (MMT)	
OST 3: Availability of buprenorphine maintenance treatment (BMT)	
OST 4: Availability of other forms of agonist OST	
OST 5: Dose and duration of MMT	
OST 6: Dose and duration of BMT	
OST 7: Total number of all sites providing OST	
OST 8: Number of sites providing MMT	
OST 9: Number of sites providing BMT	
OST 10: Number of sites providing other forms of agonist OST	
OST 11: Number of all clients in any OST at a single point in time	
OST 12: Number of all clients in MMT at a single point in time	
OST 13: Number of all clients in BMT at a single point in time	
OST 14: Number of all clients in other forms of OST at a single point in time	
OST 15: Number of IDUs in any OST at a single point in time	
OST 16: Number of IDUs in MMT at a single point in time	
OST 17: Number of IDUs in BMT at a single point in time	
OST 18: Number of IDUs in other forms of OST at a single point in time	
OST 19: Number of all clients receiving any OST in a 12 month period	
OST 20: Number of all clients receiving MMT in a 12 month period	
OST 21: Number of all clients receiving BMT in a 12 month period	
OST 22: Number of all clients receiving other forms of OST in a 12 month period	
OST 23: Number of IDUs receiving any OST in a 12 month period	
OST 24: Number of IDUs receiving MMT in a 12 month period	

Section	Page
OST 25: Number of IDUs receiving BMT in a 12 month period	
OST 26: Number of IDUs receiving other forms of OST in a 12 month period	
<b>3. Other Drug Treatment (ODT)</b>	<b>23</b>
<hr/>	
ODT 1: Detoxification	
ODT 1.1: Number of sites providing detoxification	
ODT 1.2: Number of IDUs receiving detoxification	
ODT 1.3: Number of all clients receiving detoxification in a 12 month period and/or at a single point in time	
ODT 2: Residential Rehabilitation	
ODT 2.1: Number of sites providing residential rehabilitation	
ODT 2.2: Number of IDUs in residential rehabilitation	
ODT 2.3: Number of all clients in residential rehabilitation	
ODT 3: Outpatient psychosocial support, counselling and psychotherapy	
ODT 3.1: Number of sites providing outpatient psychosocial support, counselling or psychotherapy	
ODT 3.2: Number of IDUs receiving outpatient psychosocial support, counselling or psychotherapy treatment	
ODT 3.3: Number of all clients receiving outpatient psychosocial support, counselling or psychotherapy treatment	
ODT 4: Peer-based support groups	
ODT 4.1: Number of sites providing peer-based support groups	
ODT 4.2: Number of IDUs in peer-based support groups	
ODT 4.3: Number of all clients in peer-based support groups	
ODT 5: Drug treatment (treatment type not specified)	
ODT 5.1: Number of sites providing unspecified drug treatment	
ODT 5.2: Number of IDUs receiving unspecified drug treatment	
ODT 5.3: Number of all clients receiving unspecified drug treatment	
ODT 6: Drug treatment in prisons	
ODT 6.1: Number of drug treatment sites located in prisons	
ODT 6.2: Number of IDUs receiving drug treatment in prisons	
ODT 6.3: Number of all clients receiving drug treatment in prisons	
ODT 7: Compulsory drug treatment	
ODT 7.1: Number of compulsory detention sites for drug use	
ODT 7.2: Number of IDUs in compulsory detention sites for drug use	
ODT 7.3: Number of all drug users in compulsory detention sites for drug use	
<b>4. HIV testing and counselling (T&amp;C)</b>	<b>37</b>
<hr/>	
T&C 1: Availability of HIV T&C	
T&C 2: Number of sites providing HIV T&C that specifically targets IDUs	

<b>Section</b>	<b>Page</b>
T&C 3: Number of T&C sites providing HIV T& to the general population and also accessible to IDUs	
T&C 4: Number of individual IDUs who were tested for HIV in a 12 month period	
T&C 5: Percentage of IDUs who were tested for HIV in a 12 month period and who know the result	
<b>5. Anti-retro-viral (ARV) treatment</b>	<b>40</b>
<hr/>	
ARV 1: Number of sites providing ARV treatment	
ARV 2: Number of IDUs receiving ARVs at a single point in time	
ARV 3: Restrictions on IDUs' access to ARVs	
<b>6. Condoms</b>	<b>43</b>
<hr/>	
Condoms 1: Availability of condom programs targeting IDUs	
Condoms 2: Number of sites distributing condoms to IDUs	
Condoms 3: Number of individual IDUs receiving condoms	
Condoms 4: Number of condoms distributed to IDUs	

## American Samoa (Pacific Island States and Territories)

### Estimated number of people who inject drugs and number of injectors who are living with HIV

Estimated prevalence of IDU among general population aged 15-64 years (%)	Low	Mid	High
	0	0	0
Year of IDU prevalence estimate			
Reference for IDU prevalence estimate			
Estimated prevalence of HIV among people who inject (%)	Low	Mid	High
Year of HIV prevalence among IDU estimate			
Reference for HIV prevalence among IDU estimate			
<b>General population 15-64 years of age in 2008</b>	40 063 (source: US Census Bureau, Population Division, 2009)		
Estimated IDU population in 2008	Low	Mid	High
	0	0	0
Estimated number of IDUs living with HIV in 2008	Low	Mid	High
	0	0	0

**1. Needle and syringe programs (NSPs)**

**NSP 1: Availability of NSPs**

Are NSPs available?	
Comments	
Most recent year of documentation	
Reference	
When were NSPs first introduced?	
Reference	
Are needles and syringes available for purchase from pharmacies?	
Most recent year of documentation	
Reference	

**NSP 2: Number of NSP sites**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Number of NSP sites per 1000 IDUs	Low	Mid	High

**NSP 3: Number of pharmacy sites where needles and syringes are available for purchase**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Number of pharmacy sites per 1000 IDUs	Low	Mid	High

**NSP 4: Total number of sites where needles and syringes are available**

Total number (NSP sites + Pharmacy sites)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Total number of sites per 1000 IDUs	Low	Mid	High

**NSP 5: Number of individual IDUs in contact with NSPs in a 12 month period**

<b>Data reported</b>			
<b>Year of reported data</b>			
<b>Reference</b>			
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>			
<b>IDU prevalence estimate (%)</b>	Low	Mid	High
<b>Reference</b>			
<b>General population 15-64 years of age at year of reported data</b>			
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	Low	Mid	High
<b>INDICATOR: Percentage of IDUs in contact with NSPs in a 12 month period</b>	Low	Mid	High

**NSP 6: Number of NSP occasions of service (client contacts) in a 12 month period**

<b>Data reported</b>			
<b>Year of reported data</b>			
<b>Reference</b>			
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>			
<b>IDU prevalence estimate (%)</b>	Low	Mid	High
<b>Reference</b>			
<b>General population 15-64 years of age at year of reported data</b>			
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	Low	Mid	High
<b>INDICATOR: Number of NSP occasions of service (client contacts) in a 12 month period per IDU</b>	Low	Mid	High

**NSP 7: Number of needles and syringes distributed by NSPs in a 12 month period**

<b>Data reported</b>			
<b>Year of reported data</b>			
<b>Reference</b>			
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>			
<b>IDU prevalence estimate (%)</b>	Low	Mid	High
<b>Reference</b>			
<b>General population 15-64 years of age at year of reported data</b>			
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	Low	Mid	High
<b>INDICATOR: Total number of needles/syringes distributed in a 12 month period per IDU</b>	Low	Mid	High

**NSP: All documents reviewed**

No references recorded

**2. Opioid substitution treatment (OST)****OST 1: Availability of opioid substitution treatment (OST)**

Are any forms of agonist OST available?	
Comments	
Most recent year of documentation	
Reference	
When was agonist OST first available?	
Reference	

**OST 2: Availability of methadone maintenance treatment (MMT)**

Is MMT available?	
Comments	
Most recent year of documentation	
Reference	
When was MMT first available?	
Reference	

**OST 3: Availability of buprenorphine maintenance treatment (BMT)**

Is BMT available?	
Comments	
Most recent year of documentation	
Reference	
When was BMT first available?	
Reference	

**OST 4: Availability of other forms of agonist OST**

Are other forms of OST available?	
Comments	
Most recent year of documentation	
Reference	
When were other forms of OST first available?	
Reference	

**OST 5: Dose and duration of MMT**

Average/standard maintenance dose of MMT	
Comments	
Year	
Reference	
Average/standard duration of MMT (range)	
Comments	
Year	
Reference	

**OST 6: Dose and duration of BMT**

Average/standard maintenance dose of BMT	
Comments	
Year	
Reference	
Average/standard duration of BMT (range)	
Comments	
Year	
Reference	

**OST 7: Total number of all sites providing OST**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Number of OST sites per 1000 IDUs	Low	Mid	High

**OST 8: Number of sites providing MMT**

<b>Data reported</b>			
<b>Year of reported data</b>			
<b>Reference</b>			
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>			
<b>IDU prevalence estimate (%)</b>	Low	Mid	High
<b>Reference</b>			
<b>General population 15-64 years of age at year of reported data</b>			
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	Low	Mid	High
<b>INDICATOR: Number of MMT sites per 1000 IDUs</b>	Low	Mid	High

**OST 9: Number of sites providing BMT**

<b>Data reported</b>			
<b>Year of reported data</b>			
<b>Reference</b>			
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>			
<b>IDU prevalence estimate (%)</b>	Low	Mid	High
<b>Reference</b>			
<b>General population 15-64 years of age at year of reported data</b>			
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	Low	Mid	High
<b>INDICATOR: Number of BMT sites per 1000 IDUs</b>	Low	Mid	High

**OST 10: Number of sites providing other forms of agonist OST**

<b>Data reported</b>			
<b>Year of reported data</b>			
<b>Reference</b>			
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>			
<b>IDU prevalence estimate (%)</b>	Low	Mid	High
<b>Reference</b>			
<b>General population 15-64 years of age at year of reported data</b>			
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	Low	Mid	High
<b>INDICATOR: Number of sites providing other forms of OST per 1000 IDUs</b>	Low	Mid	High

**OST 11: Number of all clients in any OST at a single point in time**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on any OST at census date : 100 IDUs	Low	Mid	High

**OST 12: Number of all clients in MMT at a single point in time**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on MMT at census date : 100 IDUs	Low	Mid	High

**OST 13: Number of all clients in BMT at a single point in time**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on BMT at census date : 100 IDUs	Low	Mid	High

**OST 14: Number of all clients in other forms of OST at a single point in time**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on other forms of OST at census date : 100 IDUs	Low	Mid	High

**OST 15: Number of IDUs in any OST at a single point in time**

<b>Data reported</b>			
<b>Year of reported data</b>			
<b>Reference</b>			
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>			
<b>IDU prevalence estimate (%)</b>	Low	Mid	High
<b>Reference</b>			
<b>General population 15-64 years of age at year of reported data</b>			
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	Low	Mid	High
<b>INDICATOR: Percentage of IDUs in OST at a single point in time</b>	Low	Mid	High

**OST 16: Number of IDUs in MMT at a single point in time**

<b>Data reported</b>			
<b>Year of reported data</b>			
<b>Reference</b>			
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>			
<b>IDU prevalence estimate (%)</b>	Low	Mid	High
<b>Reference</b>			
<b>General population 15-64 years of age at year of reported data</b>			
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	Low	Mid	High
<b>INDICATOR: Percentage of IDUs in MMT at a single point in time</b>	Low	Mid	High

**OST 17: Number of IDUs in BMT at a single point in time**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs in BMT at a single point in time	Low	Mid	High

**OST 18: Number of IDUs in other forms of OST at a single point in time**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs in other forms of OST at a single point in time	Low	Mid	High

**OST 19: Number of all clients receiving any OST in a 12 month period**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on any OST in a 12 month period : 100 IDUs	Low	Mid	High

**OST 20: Number of all clients receiving MMT in a 12 month period**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on MMT in a 12 month period : 100 IDUs	Low	Mid	High

**OST 21: Number of all clients receiving BMT in a 12 month period**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on BMT in a 12 month period : 100 IDUs	Low	Mid	High

**OST 22: Number of all clients receiving other forms of OST in a 12 month period**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on other forms of OST in a 12 month period : 100 IDUs	Low	Mid	High

**OST 23: Number of IDUs receiving any OST in a 12 month period**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs receiving OST in a 12 month period	Low	Mid	High

**OST 24: Number of IDUs receiving MMT in a 12 month period**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs receiving MMT in a 12 month period	Low	Mid	High

**OST 25: Number of IDUs receiving BMT in a 12 month period**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs receiving BMT in a 12 month period	Low	Mid	High

**OST 26: Number of IDUs receiving other forms of OST in a 12 month period**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs receiving other forms of OST at a single point in time	Low	Mid	High

**OST: All documents reviewed**

No references recorded

**3. Other drug treatment (ODT)**

**ODT 1 - Detoxification**

**ODT 1.1: Number of sites providing detoxification**

Is detoxification available?			
Number of sites - data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Number of detoxification sites per 1000 IDUs	Low	Mid	High

**ODT 1.2: Number of IDUs receiving detoxification**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)			
Final/Adjusted data for single point in time (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs in detoxification in a 12 month period	Low	Mid	High
INDICATOR: Percentage of IDUs in detoxification at a single point in time	Low	Mid	High

**ODT 1.3: Number of all clients receiving detoxification in a 12 month period and/or at a single point in time**

<b>Data reported</b>			
<b>Year of reported data</b>			
<b>Reference</b>			
<b>Adjustments</b>			
<b>Final/Adjusted data for 12 month period (to be used as indicator numerator)</b>			
<b>Final/Adjusted data for single point in time (to be used as indicator numerator)</b>			
<b>IDU prevalence estimate (%)</b>	Low	Mid	High
<b>Reference</b>			
<b>General population 15-64 years of age at year of reported data</b>			
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	Low	Mid	High
<b>INDICATOR: Ratio of number of all clients in detoxification in a 12 month period : number of IDUs</b>	Low	Mid	High
<b>INDICATOR: Ratio of number of all clients in detoxification at a single point in time : number of IDUs</b>	Low	Mid	High

ODT 2 - Residential rehabilitation

ODT 2.1: Number of sites providing residential rehabilitation

Is residential rehabilitation present?			
Number of sites - data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Number of residential rehabilitation sites per 1000 IDUs	Low	Mid	High

ODT 2.2: Number of IDUs in residential rehabilitation

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)			
Final/Adjusted data for single point in time (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs in residential rehabilitation in a 12 month period	Low	Mid	High
INDICATOR: Percentage of IDUs in residential rehabilitation at a single point in time	Low	Mid	High

**ODT 2.3: Number of all clients in residential rehabilitation**

<b>Data reported</b>			
<b>Year of reported data</b>			
<b>Reference</b>			
<b>Adjustments</b>			
<b>Final/Adjusted data for 12 month period (to be used as indicator numerator)</b>			
<b>Final/Adjusted data for single point in time (to be used as indicator numerator)</b>			
<b>IDU prevalence estimate (%)</b>	Low	Mid	High
<b>Reference</b>			
<b>General population 15-64 years of age at year of reported data</b>			
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	Low	Mid	High
<b>INDICATOR: Ratio of number of all drug users in residential rehabilitation in a 12 month period : number of IDUs</b>	Low	Mid	High
<b>INDICATOR: Ratio of number of all drug users in residential rehabilitation at a single point in time : number of IDUs</b>	Low	Mid	High

**ODT 3 - Outpatient psychosocial support, counselling and psychotherapy**

**ODT 3.1: Number of sites providing outpatient psychosocial support, counselling or psychotherapy treatment**

Is outpatient psychosocial support, counselling or psychotherapy present?			
Number of sites - data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Number of outpatient psychosocial support, counselling or psychotherapy sites per 1000 IDUs	Low	Mid	High

**ODT 3.2: Number of IDUs receiving outpatient psychosocial support, counselling or psychotherapy treatment**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)			
Final/Adjusted data for single point in time (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs in outpatient psychosocial support, counselling or psychotherapy in a 12 month period	Low	Mid	High
INDICATOR: Percentage of IDUs receiving outpatient psychosocial support, counselling or psychotherapy at a single point in time	Low	Mid	High

**ODT 3.3: Number of all clients receiving outpatient psychosocial support, counselling or psychotherapy treatment**

<b>Data reported</b>			
<b>Year of reported data</b>			
<b>Reference</b>			
<b>Adjustments</b>			
<b>Final/Adjusted data for 12 month period (to be used as indicator numerator)</b>			
<b>Final/Adjusted data for single point in time (to be used as indicator numerator)</b>			
<b>IDU prevalence estimate (%)</b>	Low	Mid	High
<b>Reference</b>			
<b>General population 15-64 years of age at year of reported data</b>			
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	Low	Mid	High
<b>INDICATOR: Ratio of number of all drug users in outpatient psychosocial support, counselling or psychotherapy in a 12 month period : number of IDUs</b>	Low	Mid	High
<b>INDICATOR: Ratio of number of all drug users in outpatient psychosocial support, counselling or psychotherapy at a single point in time : number of IDUs</b>	Low	Mid	High

ODT 4 - Peer-based support groups

ODT 4.1: Number of peer-based support groups sites

Are Peer-based support groups present?			
Number of sites - data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Number of peer-based support groups sites per 1000 IDUs	Low	Mid	High

ODT 4.2: Number of IDUs in peer-based support groups

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)			
Final/Adjusted data for single point in time (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs in peer-based support groups in a 12 month period	Low	Mid	High
INDICATOR: Percentage of IDUs in peer-based support groups at a single point in time	Low	Mid	High

**ODT 4.3: Number of all clients in peer-based support groups**

<b>Data reported</b>			
<b>Year of reported data</b>			
<b>Reference</b>			
<b>Adjustments</b>			
<b>Final/Adjusted data for 12 month period (to be used as indicator numerator)</b>			
<b>Final/Adjusted data for single point in time (to be used as indicator numerator)</b>			
<b>IDU prevalence estimate (%)</b>	Low	Mid	High
<b>Reference</b>			
<b>General population 15-64 years of age at year of reported data</b>			
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	Low	Mid	High
<b>INDICATOR: Ratio of number of all drug users in peer-based support groups in a 12 month period : number of IDUs</b>	Low	Mid	High
<b>INDICATOR: Ratio of number of all drug users in peer-based support groups at a single point in time : number of IDUs</b>	Low	Mid	High

**ODT 5 - Drug treatment (treatment type not specified)**

**ODT 5.1: Number of drug treatment sites (treatment type not specified)**

Type of drug treatment available			
Number of sites - data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Number of drug treatment sites per 1000 IDUs	Low	Mid	High

**ODT 5.2: Number of IDUs in drug treatment (treatment type not specified)**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)			
Final/Adjusted data for single point in time (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs in drug treatment not specified/drug treatment combined in a 12 month period	Low	Mid	High
INDICATOR: Percentage of IDUs in drug treatment not specified/drug treatment combined at a single point in time	Low	Mid	High

**ODT 5.3: Number of all clients in drug treatment (treatment type not specified)**

<b>Data reported</b>			
<b>Year of reported data</b>			
<b>Reference</b>			
<b>Adjustments</b>			
<b>Final/Adjusted data for 12 month period (to be used as indicator numerator)</b>			
<b>Final/Adjusted data for single point in time (to be used as indicator numerator)</b>			
<b>IDU prevalence estimate (%)</b>	Low	Mid	High
<b>Reference</b>			
<b>General population 15-64 years of age at year of reported data</b>			
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	Low	Mid	High
<b>INDICATOR: Ratio of number of all drug users in drug treatment not specified/drug treatment combined in a 12 month period : number of IDUs</b>	Low	Mid	High
<b>INDICATOR: Ratio of number of all drug users in drug treatment not specified/drug treatment combined at a single point in time : number of IDUs</b>	Low	Mid	High

**ODT 6 - Drug treatment in prisons**

**ODT 6.1: Number of prison drug treatment sites**

Type of drug treatment in prisons?	
Number of sites - data reported	
Year of reported data	
Reference	
Adjustments	
Final/Adjusted data	

**ODT 6.2: Number of IDUs in drug treatment in prisons**

Data reported	
Year of reported data	
Reference	
Adjustments	
Final/Adjusted data for 12 month period	
Final/Adjusted data for single point in time	

**ODT 6.3: Number of all clients in drug treatment in prisons**

Data reported	
Year of reported data	
Reference	
Adjustments	
Final/Adjusted data for 12 month period	
Final/Adjusted data for single point in time	

ODT 7 - Compulsory detention as response to drug use

ODT 7.1: Number of compulsory detention sites for drug use

Number of sites - data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Number of compulsory detention sites for drug use per 1000 IDUs	Low	Mid	High

ODT 7.2: Number of IDUs in compulsory detention sites for drug use

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)			
Final/Adjusted data for single point in time (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs in compulsory detention in closed settings in a 12 month period	Low	Mid	High
INDICATOR: Percentage of IDUs in compulsory detention in closed settings at a single point in time	Low	Mid	High

**ODT 7.3: Number of all drug users in compulsory detention sites for drug use**

<b>Data reported</b>			
<b>Year of reported data</b>			
<b>Reference</b>			
<b>Adjustments</b>			
<b>Final/Adjusted data for 12 month period (to be used as indicator numerator)</b>			
<b>Final/Adjusted data for single point in time (to be used as indicator numerator)</b>			
<b>IDU prevalence estimate (%)</b>	Low	Mid	High
<b>Reference</b>			
<b>General population 15-64 years of age at year of reported data</b>			
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	Low	Mid	High
<b>INDICATOR: Ratio of all drug users in compulsory detention in closed settings in a 12 month period : number of IDUs</b>	Low	Mid	High
<b>INDICATOR: Ratio of all drug users in compulsory detention in closed settings at a single point in time : number of IDUs</b>	Low	Mid	High

**ODT: All documents reviewed**

No references recorded

**4. HIV testing and counselling (T&C)**

**T&C 1: Availability of HIV T&C**

Is T&C available?	
Most recent year of data	
Reference	

**T&C 2: Number of sites providing HIV T&C specifically targeting IDUs**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	0	0	0
INDICATOR: Number of targeted T&C sites per 1000 IDUs	Low	Mid	High

**T&C 3: Number of sites providing HIV T&C sites to the general population and also accessible to IDUs**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Number of all T&C sites per 1000 IDUs	Low	Mid	High

**T&C 4: Number of Individual IDUs who were tested for HIV in 12 month period**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	0	0	0
INDICATOR: Percentage of individual IDUs accessing T&Cs in a 12 month period	Low	Mid	High

**T&C 5: Percentage of IDUs who were tested for HIV in a 12 month period and who know the result**

Year of reported data	
Reference	
Data reported for both male and female IDUs	
Adjustments	
Final/Adjusted data	
Data reported for male IDUs	
Adjustments	
Final/Adjusted data	
Data reported for female IDUs	
Adjustments	
Final/Adjusted data	

**T&C: All documents reviewed**

No references recorded

**5. Anti-retro-viral (ARV) treatment**

**ARV 1: Number of sites providing ARV treatment**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
HIV among IDU prevalence estimate (%)	Low	Mid	High
Reference			
Estimated number of HIV positive IDUs at year of reported data (to be used as indicator)	Low	Mid	High
INDICATOR: Number of ARV treatment sites per 1000 IDUs	Low	Mid	High
INDICATOR: Number of ARV treatment sites per 1000 IDUs living with HIV	Low	Mid	High

**ARV 2: Number of IDUs receiving ARVs at a single point in time**

<b>Data reported</b>			
<b>Year of reported data</b>			
<b>Reference</b>			
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>			
<b>IDU prevalence estimate (%)</b>	Low	Mid	High
<b>Reference</b>			
<b>General population 15-64 years of age at year of reported data</b>			
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	Low	Mid	High
<b>HIV among IDU prevalence estimate (%)</b>	Low	Mid	High
<b>Reference</b>			
<b>Estimated number of HIV positive IDUs at year of reported data (to be used as indicator denominator)</b>	Low	Mid	High
<b>INDICATOR: Ratio of IDUs on ART: 100 IDUs living with HIV</b>	Low	Mid	High

**ARV 3: Restrictions on IDUs' access to ARVs**

<b>Do restrictions exist which limit IDUs' access to ARV treatment?</b>	
<b>Year of reported data</b>	
<b>Reference</b>	

**ARV: All documents reviewed**

No references recorded

**6. Condoms****Condoms 1: Availability of condom programs targeting IDUs**

Are condom programs targeting IDUs available?	
Comments	
Year	
Reference	

**Condoms 2: Number of sites distributing condoms to IDUs**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Number of condom distribution sites targeting IDU per 1000 IDUs	Low	Mid	High

**Condoms 3: Number of individual IDUs receiving condoms**

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs receiving condoms in a 12 month period	Low	Mid	High

**Condoms 4: Number of condoms distributed to IDUs**

<b>Data reported</b>			
<b>Year of reported data</b>			
<b>Reference</b>			
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>			
<b>IDU prevalence estimate (%)</b>	Low	Mid	High
<b>Reference</b>			
<b>General population 15-64 years of age at year of reported data</b>			
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	Low	Mid	High
<b>INDICATOR: Total number of condoms distributed per 12 month period per IDU</b>	Low	Mid	High

**Condoms: All documents reviewed**

No references recorded