

This document was generated by the Reference Group to the United Nations on HIV and Injecting Drug Use.

The data included in this report reflect the results of a systematic search and review of data on a range of indicators reflecting the extent of services provided to people who inject drugs.

These data have been searched, reviewed and extracted according to decision rules developed by the Reference Group.

Some data have been adjusted to facilitate estimates of standard indicators across countries.

Details of the process for searching, grading and including data, along with their interpretation, are detailed in:

Mathers B, Degenhardt L, Ali H, Wiessing L, Hickman M, Mattick R, et al. HIV prevention, treatment and care for people who inject drugs: A systematic review of global, regional and national coverage. *The Lancet* 2010. DOI:10.1016/S0140-6736(10)60232-2.

For more information on the Reference Group, please go to: www.IDURefGroup.Com

Section	Page
Estimated number of people who inject drugs and number of injectors who are living with HIV	4
1. Needle and syringe programs (NSPs)	5
NSP 1: Availability of NSPs	
NSP 2: Number of NSP sites	
NSP 3: Number of pharmacy sites where needles and syringes are available for purchase	
NSP 4: Total number of sites where needles and syringes are available	
NSP 5: Number of individual IDUs in contact with NSPs in a 12 month period	
NSP 6: Number of NSP occasions of service (client contacts) in a 12 month period	
NSP 7: Number of needles and syringes distributed by NSPs in a 12 month period	
2. Opioid substitution programs (OST)	10
OST 1: Availability of opioid substitution treatment (OST)	
OST 2: Availability of methadone maintenance treatment (MMT)	
OST 3: Availability of buprenorphine maintenance treatment (BMT)	
OST 4: Availability of other forms of agonist OST	
OST 5: Dose and duration of MMT	
OST 6: Dose and duration of BMT	
OST 7: Total number of all sites providing OST	
OST 8: Number of sites providing MMT	
OST 9: Number of sites providing BMT	
OST 10: Number of sites providing other forms of agonist OST	
OST 11: Number of all clients in any OST at a single point in time	
OST 12: Number of all clients in MMT at a single point in time	
OST 13: Number of all clients in BMT at a single point in time	
OST 14: Number of all clients in other forms of OST at a single point in time	
OST 15: Number of IDUs in any OST at a single point in time	
OST 16: Number of IDUs in MMT at a single point in time	
OST 17: Number of IDUs in BMT at a single point in time	
OST 18: Number of IDUs in other forms of OST at a single point in time	
OST 19: Number of all clients receiving any OST in a 12 month period	
OST 20: Number of all clients receiving MMT in a 12 month period	
OST 21: Number of all clients receiving BMT in a 12 month period	
OST 22: Number of all clients receiving other forms of OST in a 12 month period	
OST 23: Number of IDUs receiving any OST in a 12 month period	
OST 24: Number of IDUs receiving MMT in a 12 month period	

Section	Page
OST 25: Number of IDUs receiving BMT in a 12 month period	
OST 26: Number of IDUs receiving other forms of OST in a 12 month period	
3. Other Drug Treatment (ODT)	23
<hr/>	
ODT 1: Detoxification	
ODT 1.1: Number of sites providing detoxification	
ODT 1.2: Number of IDUs receiving detoxification	
ODT 1.3: Number of all clients receiving detoxification in a 12 month period and/or at a single point in time	
ODT 2: Residential Rehabilitation	
ODT 2.1: Number of sites providing residential rehabilitation	
ODT 2.2: Number of IDUs in residential rehabilitation	
ODT 2.3: Number of all clients in residential rehabilitation	
ODT 3: Outpatient psychosocial support, counselling and psychotherapy	
ODT 3.1: Number of sites providing outpatient psychosocial support, counselling or psychotherapy	
ODT 3.2: Number of IDUs receiving outpatient psychosocial support, counselling or psychotherapy treatment	
ODT 3.3: Number of all clients receiving outpatient psychosocial support, counselling or psychotherapy treatment	
ODT 4: Peer-based support groups	
ODT 4.1: Number of sites providing peer-based support groups	
ODT 4.2: Number of IDUs in peer-based support groups	
ODT 4.3: Number of all clients in peer-based support groups	
ODT 5: Drug treatment (treatment type not specified)	
ODT 5.1: Number of sites providing unspecified drug treatment	
ODT 5.2: Number of IDUs receiving unspecified drug treatment	
ODT 5.3: Number of all clients receiving unspecified drug treatment	
ODT 6: Drug treatment in prisons	
ODT 6.1: Number of drug treatment sites located in prisons	
ODT 6.2: Number of IDUs receiving drug treatment in prisons	
ODT 6.3: Number of all clients receiving drug treatment in prisons	
ODT 7: Compulsory drug treatment	
ODT 7.1: Number of compulsory detention sites for drug use	
ODT 7.2: Number of IDUs in compulsory detention sites for drug use	
ODT 7.3: Number of all drug users in compulsory detention sites for drug use	
4. HIV testing and counselling (T&C)	39
<hr/>	
T&C 1: Availability of HIV T&C	
T&C 2: Number of sites providing HIV T&C that specifically targets IDUs	

Section	Page
T&C 3: Number of T&C sites providing HIV T& to the general population and also accessible to IDUs	
T&C 4: Number of individual IDUs who were tested for HIV in a 12 month period	
T&C 5: Percentage of IDUs who were tested for HIV in a 12 month period and who know the result	
5. Anti-retro-viral (ARV) treatment	42
<hr/>	
ARV 1: Number of sites providing ARV treatment	
ARV 2: Number of IDUs receiving ARVs at a single point in time	
ARV 3: Restrictions on IDUs' access to ARVs	
6. Condoms	45
<hr/>	
Condoms 1: Availability of condom programs targeting IDUs	
Condoms 2: Number of sites distributing condoms to IDUs	
Condoms 3: Number of individual IDUs receiving condoms	
Condoms 4: Number of condoms distributed to IDUs	

Indonesia (East and South East Asia)

Estimated number of people who inject drugs and number of injectors who are living with HIV

Estimated prevalence of IDU among general population aged 15-64 years (%)	Low	Mid	High
	0.13	0.14	0.16
Year of IDU prevalence estimate	2006		
Reference for IDU prevalence estimate	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." <i>The Lancet</i> 372(9651): 1733-1745.		
Estimated prevalence of HIV among people who inject (%)	Low	Mid	High
	31.7	42.5	53.3
Year of HIV prevalence among IDU estimate	2006		
Reference for HIV prevalence among IDU estimate	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." <i>The Lancet</i> 372(9651): 1733-1745.		
General population 15-64 years of age in 2008	151 807 655 (source: UN Population Division, 2009)		
Estimated IDU population in 2008	Low	Mid	High
	190 500	219 000	248 000
Estimated number of IDUs living with HIV in 2008	Low	Mid	High
	60388	93 075	132 184

1. Needle and syringe programs (NSPs)

NSP 1: Availability of NSPs

Are NSPs available?	Yes
Comments	
Most recent year of documentation	2009
Reference	See references for other NSP indicators
When were NSPs first introduced?	2000
Reference	Reid, G., M. L. Devaney, et al. (2008). "Harm reduction programmes in the Asia-Pacific Region." <i>Drug and Alcohol Review</i> 27(1): 95-98.
Are needles and syringes available for purchase from pharmacies?	Yes
Most recent year of documentation	2009
Reference	Collins, L. AusAID. Personal Communication: Response to "Indonesia - UN Reference Group - Final Data Check". Indonesia, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 2 October 2009.

NSP 2: Number of NSP sites

Data reported	182 NSP sites in Dec 2008 323 sites		
Year of reported data	2008		
Reference	Nafsiah Mboi Secretary to the National AIDS Commission Indonesia (2009). The Indonesian experience: Government and civil society partnership model for expanding coverage of harm reduction. Scaling-up harm reduction services towards universal access in Asia: Models of good practice - A Symposium organised by the United Nations Regional Task Force on Injecting Drug Use and HIV/AIDS for Asia and the Pacific. World Health Organization (2009). Universal Access Unpublished Data		
Adjustments	Figures taken as range		
Final/Adjusted data (to be used as indicator numerator)	182 - 323		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." <i>The Lancet</i> 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Number of NSP sites per 1000 IDUs	Low	Mid	High
	0.73	1.15	1.70

NSP 3: Number of pharmacy sites where needles and syringes are available for purchase

Data reported	Needles and syringes available for purchase from pharmacies but number of sites not available		
Year of reported data	2009		
Reference	Collins, L. AusAID. Personal Communication: Response to "Indonesia - UN Reference Group - Final Data Check". Indonesia, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 2 October 2009.		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	2006		
General population 15-64 years of age at year of reported data	154 092 476 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	193 500	222 500	251 500
INDICATOR: Number of pharmacy sites per 1000 IDUs	Low	Mid	High
	NK	NK	NK

NSP 4: Total number of sites where needles and syringes are available

Total number (NSP sites + Pharmacy sites)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data	(source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Total number of sites per 1000 IDUs	Low	Mid	High

NSP 5: Number of individual IDUs in contact with NSPs in a 12 month period

Data reported	49000 IDUs access NSP		
Year of reported data	2007		
Reference	Sharma, M., E. Oppenheimer, et al. (2009). "A situation update on HIV epidemics among people who inject drugs and national responses in South-East Asia Region." AIDS (Accepted for publication).		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	49 000		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	149 505 318 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	187 500	216 000	244 000
INDICATOR: Percentage of IDUs in contact with NSPs in a 12 month period	Low	Mid	High
	20.1	22.7	26.1

NSP 6: Number of NSP occasions of service (client contacts) in a 12 month period

Data reported	NSP present but number not known		
Year of reported data	2008		
Reference	Siregar, K. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - Indonesia". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use Sharma, M., E. Oppenheimer, et al. (2009). "A situation update on HIV epidemics among people who inject drugs and national responses in South-East Asia Region." AIDS (Accepted for publication).		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Number of NSP occasions of service (client contacts) in a 12 month period per IDU	Low	Mid	High
	NK	NK	NK

NSP 7: Number of needles and syringes distributed by NSPs in a 12 month period

Data reported	511 670 needles/syringes distributed in 2008 797 455 syringes distributed		
Year of reported data	2008		
Reference	Siregar, K. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - Indonesia". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use World Health Organisation (2009). Universal Access Unpublished Data.		
Adjustments	Figures taken as range		
Final/Adjusted data (to be used as indicator numerator)	511 670 - 797 455		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Total number of needles/syringes distributed in a 12 month period per IDU	Low	Mid	High
	2.06	3.0	4.19

NSP: All documents reviewed

Asian Harm Reduction Network (AHRN) (2004). Scaling up provision of anti-retrovirals to injecting drug users and non-injecting drug users in Asia: World Health Organization "3 x 5" initiative, Asian Harm Reduction Network (AHRN).

Atmosukarto, I. I. (2008). Indonesia's experience pushing harm reduction forward.

Blogg, S. and R. Soeharno (2008). Coverage of HIV activities in Indonesia 2006-2007, AusAID & National AIDS Commission Indonesia..

Collins, L. AusAID. Personal Communication: Response to "Indonesia - UN Reference Group - Final Data Check". Indonesia, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 2 October 2009.

Country coordinating mechanism - Indonesia (2008). Indonesia response to HIV: Government and civil society partnership in 12 provinces.

Devaney, M., Reid, G. and Baldwin, S. (2006). Situational analysis of illicit drug issues and responses in the Asia-Pacific region. ANCD Research Papers. J. Stokes. Canberra, Australian National Council on Drugs: 215.

Indonesia National AIDS Commission (2007). UNGASS report 2006-2007.

International Harm Reduction Association (IHRA) (2007). Conference abstracts book. 18th International Conference on the Reduction of Drug Related Harm, Warsaw, Poland.

International Harm Reduction Development Program (2008). Harm reduction developments 2008. New York.

Joint United Nations Programme on HIV/AIDS (UNAIDS) (2005). AIDS epidemic update. Geneva, Joint United Nations Programme on HIV/AIDS (UNAIDS) and the World Health Organisation (WHO).

Knoess, J. (2006). HIV/AIDS and Intravenous Drug Use in Asia: A mapping of existing HIV/AIDS and harm reduction programs, Development Oriented Drug Control Program GTZ Eschborn: 179.

Mesquita, F., I. Winarso, et al. (2007). "Public health the leading force of the Indonesian response to the HIV/AIDS crisis among people who inject drugs." Harm Reduction Journal 4(1): 9.

Monitoring AIDS Pandemic (MAP) Network (2004). AIDS in Asia: face the facts. A comprehensive analysis of the AIDS epidemics in Asia, Monitoring AIDS Pandemic (MAP) Network.

Nafsiah Mboi Secretary to the National AIDS Commission Indonesia (2009). The Indonesian experience: Government and civil society partnership model for expanding coverage of harm reduction. Scaling-up harm reduction services towards universal access in Asia: Models of good practice - A Symposium organised by the United Nations Regional Task Force on Injecting Drug Use and HIV/AIDS for Asia and the Pacific.

Reid, G., M. L. Devaney, et al. (2008). "Harm reduction programmes in the Asia-Pacific Region." Drug & Alcohol Review 27(1): 95-8.

Reid, G., M. L. Devaney, et al. (2008). "Harm reduction programmes in the Asia-Pacific Region." Drug and Alcohol Review 27(1): 95-98.

Sharma, M., E. Oppenheimer, et al. (2009). "A situation update on HIV epidemics among people who inject drugs and national responses in South-East Asia Region." AIDS (Accepted for publication).

Silva, P. (2007) Experts warn that police abuse is fueling HIV epidemic among injecting drug users cooperation between law enforcement, health services urgently needed.

Siregar, K. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - Indonesia". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use

Tanguay, P. (2006). Managing Risk: HIV prevention education for women using drugs in Asia. Equals Newsletter. Issue 18.

UN Regional Task Force on Injecting Drug Use and HIV/AIDS for Asia and the Pacific (2009). Indonesia country advocacy brief - Injecting drug use and HIV/AIDS (Draft).

WHO, UNAIDS., et al. (2009). Towards universal access: Scaling up priority HIV/AIDS interventions in the health sector - progress report 2009. Geneva, WHO.

World Health Organization (2008). HIV/AIDS care and treatment for people who inject drugs in Asia and the Pacific: an essential practice guide. Geneva, WHO & UNODC: 68.

2. Opioid substitution treatment (OST)**OST 1: Availability of opioid substitution treatment (OST)**

Are any forms of agonist OST available?	Yes
Comments	
Most recent year of documentation	2009
Reference	Sharma, M., E. Oppenheimer, et al. (2009). "A situation update on HIV epidemics among people who inject drugs and national responses in South-East Asia Region." AIDS (Accepted for publication).
When was agonist OST first available?	2003
Reference	Blogg, S. and R. Soeharno (2008). Coverage of HIV activities in Indonesia 2006-2007.

OST 2: Availability of methadone maintenance treatment (MMT)

Is MMT available?	Yes
Comments	
Most recent year of documentation	2009
Reference	Sharma, M., E. Oppenheimer, et al. (2009). "A situation update on HIV epidemics among people who inject drugs and national responses in South-East Asia Region." AIDS (Accepted for publication).
When was MMT first available?	2003
Reference	Blogg, S. and R. Soeharno (2008). Coverage of HIV activities in Indonesia 2006-2007.

OST 3: Availability of buprenorphine maintenance treatment (BMT)

Is BMT available?	Yes
Comments	
Most recent year of documentation	2008
Reference	Sharma, M., E. Oppenheimer, et al. (2009). "A situation update on HIV epidemics among people who inject drugs and national responses in South-East Asia Region." AIDS (Accepted for publication).
When was BMT first available?	
Reference	

OST 4: Availability of other forms of agonist OST

Are other forms of OST available?	
Comments	
Most recent year of documentation	
Reference	
When were other forms of OST first available?	
Reference	

OST 5: Dose and duration of MMT

Average/standard maintenance dose of MMT	80 mg
Comments	
Year	2009
Reference	World Health Organisation (2009). Global health ATLAS data.
Average/standard duration of MMT (range)	
Comments	
Year	
Reference	

OST 6: Dose and duration of BMT

Average/standard maintenance dose of BMT	4 mg
Comments	
Year	2009
Reference	World Health Organisation (2009). Global health ATLAS data.
Average/standard duration of BMT (range)	
Comments	
Year	
Reference	

OST 7: Total number of all sites providing OST

Data reported	35 MMT sites including 4 prison sites - 46 sites		
Year of reported data	2008		
Reference	Nafsiah Mboi Secretary to the National AIDS Commission Indonesia (2009). The Indonesian experience: Government and civil society partnership model for expanding coverage of harm reduction. Scaling-up harm reduction services towards universal access in Asia: Models of good practice - A Symposium organised by the United Nations Regional Task Force on Injecting Drug Use and HIV/AIDS for Asia and the Pacific. WHO, UNAIDS., et al. (2009). Towards universal access: Scaling up priority HIV/AIDS interventions in the health sector - progress report 2009. Geneva, WHO.		
Adjustments	Figures taken as range		
Final/Adjusted data (to be used as indicator numerator)	35 - 46		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Number of OST sites per 1000 IDUs	Low	Mid	High
	0.14	0.18	0.24

OST 8: Number of sites providing MMT

Data reported	35 MMT sites including 4 prison sites		
Year of reported data	2008		
Reference	Nafsiah Mboi Secretary to the National AIDS Commission Indonesia (2009). The Indonesian experience: Governemnt and civil society partnership model for expanding coverage of harm reduction. Scaling-up harm reduction services towards universal access in Asia: Models of good practice - A Symposium organised by the United Nations Regional Task Force on Injecting Drug Use and HIV/AIDS for Asia and the Pacific.		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	35		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Number of MMT sites per 1000 IDUs	Low	Mid	High
	0.14	0.16	0.18

OST 9: Number of sites providing BMT

Data reported	BMT available but number not known		
Year of reported data	2008		
Reference	Sharma, M., E. Oppenheimer, et al. (2009). "A situation update on HIV epidemics among people who inject drugs and national responses in South-East Asia Region." AIDS (Accepted for publication).		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Number of BMT sites per 1000 IDUs	Low	Mid	High
	NK	NK	NK

OST 10: Number of sites providing other forms of agonist OST

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Number of sites providing other forms of OST per 1000 IDUs	Low	Mid	High

OST 11: Number of all clients in any OST at a single point in time

Data reported	1700 patients on MMT 500 patients on BMT		
Year of reported data	2009		
Reference	World Health Organisation (2009). Global health ATLAS data.		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	2200		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	154 092 476 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	193 500	222 500	251 500
INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on any OST at census date : 100 IDUs	Low	Mid	High
	0.87	0.99	1.14

OST 12: Number of all clients in MMT at a single point in time

Data reported	1700 patients on MMT		
Year of reported data	2009		
Reference	World Health Organisation (2009). Global health ATLAS data.		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	1700		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	154 092 476 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	193 500	222 500	251 500
INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on MMT at census date : 100 IDUs	Low	Mid	High
	0.68	0.76	0.88

OST 13: Number of all clients in BMT at a single point in time

Data reported	500 patients on BMT		
Year of reported data	2009		
Reference	World Health Organisation (2009). Global health ATLAS data.		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	500		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	154 092 476 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	193 500	222 500	251 500
INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on BMT at census date : 100 IDUs	Low	Mid	High
	0.20	0.22	0.26

OST 14: Number of all clients in other forms of OST at a single point in time

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on other forms of OST at census date : 100 IDUs	Low	Mid	High

OST 15: Number of IDUs in any OST at a single point in time

Data reported	OST available but number of IDU on OST not known		
Year of reported data	2008		
Reference	Sharma, M., E. Oppenheimer, et al. (2009). "A situation update on HIV epidemics among people who inject drugs and national responses in South-East Asia Region." AIDS (Accepted for publication).		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Percentage of IDUs in OST at a single point in time	Low	Mid	High
	NK	NK	NK

OST 16: Number of IDUs in MMT at a single point in time

Data reported	MMT available but number of IDUs not known		
Year of reported data	2008		
Reference	Sharma, M., E. Oppenheimer, et al. (2009). "A situation update on HIV epidemics among people who inject drugs and national responses in South-East Asia Region." AIDS (Accepted for publication).		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Percentage of IDUs in MMT at a single point in time	Low	Mid	High
	NK	NK	NK

OST 17: Number of IDUs in BMT at a single point in time

Data reported	BMT available but number of IDUs receiving BMT not known		
Year of reported data	2008		
Reference	Sharma, M., E. Oppenheimer, et al. (2009). "A situation update on HIV epidemics among people who inject drugs and national responses in South-East Asia Region." AIDS (Accepted for publication).		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Percentage of IDUs in BMT at a single point in time	Low	Mid	High
	NK	NK	NK

OST 18: Number of IDUs in other forms of OST at a single point in time

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs in other forms of OST at a single point in time	Low	Mid	High

OST 19: Number of all clients receiving any OST in a 12 month period

Data reported	2711 estimated clients in MMT 500 estimated clients in BMT		
Year of reported data	2008		
Reference	Sharma, M., E. Oppenheimer, et al. (2009). "A situation update on HIV epidemics among people who inject drugs and national responses in South-East Asia Region." AIDS (Accepted for publication).		
Adjustments	Assumed mutually exclusive Assuming figures correct for same time period Assumed total number of clients enrolled in OST throughout 2008		
Final/Adjusted data (to be used as indicator numerator)	3211		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on any OST in a 12 month period : 100 IDUs	Low	Mid	High
	1.29	1.47	1.69

OST 20: Number of all clients receiving MMT in a 12 month period

Data reported	2711 clients in MMT		
Year of reported data	2008		
Reference	Sharma, M., E. Oppenheimer, et al. (2009). "A situation update on HIV epidemics among people who inject drugs and national responses in South-East Asia Region." AIDS (Accepted for publication).		
Adjustments	Assumed total number of clients enrolled in MMT throughout 2008		
Final/Adjusted data (to be used as indicator numerator)	2711		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on MMT in a 12 month period : 100 IDUs	Low	Mid	High
	1.09	1.24	1.42

OST 21: Number of all clients receiving BMT in a 12 month period

Data reported	500 estimated clients in BMT		
Year of reported data	2008		
Reference	Sharma, M., E. Oppenheimer, et al. (2009). "A situation update on HIV epidemics among people who inject drugs and national responses in South-East Asia Region." AIDS (Accepted for publication).		
Adjustments	Assumed total number of clients enrolled in BMT throughout 2008		
Final/Adjusted data (to be used as indicator numerator)	500		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on BMT in a 12 month period : 100 IDUs	Low	Mid	High
	0.20	0.23	0.26

OST 22: Number of all clients receiving other forms of OST in a 12 month period

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on other forms of OST in a 12 month period : 100 IDUs	Low	Mid	High

OST 23: Number of IDUs receiving any OST in a 12 month period

Data reported	OST available but number of IDU on OST not known		
Year of reported data	2008		
Reference	Sharma, M., E. Oppenheimer, et al. (2009). "A situation update on HIV epidemics among people who inject drugs and national responses in South-East Asia Region." AIDS (Accepted for publication).		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Percentage of IDUs receiving OST in a 12 month period	Low	Mid	High
	NK	NK	NK

OST 24: Number of IDUs receiving MMT in a 12 month period

Data reported	MMT available but number of IDUs not known		
Year of reported data	2008		
Reference	Sharma, M., E. Oppenheimer, et al. (2009). "A situation update on HIV epidemics among people who inject drugs and national responses in South-East Asia Region." AIDS (Accepted for publication).		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Percentage of IDUs receiving MMT in a 12 month period	Low	Mid	High
	NK	NK	NK

OST 25: Number of IDUs receiving BMT in a 12 month period

Data reported	BMT available but number of IDUs receiving BMT not known		
Year of reported data	2008		
Reference	Sharma, M., E. Oppenheimer, et al. (2009). "A situation update on HIV epidemics among people who inject drugs and national responses in South-East Asia Region." AIDS (Accepted for publication).		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Percentage of IDUs receiving BMT in a 12 month period	Low	Mid	High
	NK	NK	NK

OST 26: Number of IDUs receiving other forms of OST in a 12 month period

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs receiving other forms of OST at a single point in time	Low	Mid	High

OST: All documents reviewed

- Atmosukarto, I. I. (2008). Indonesia's experience pushing harm reduction forward.
- Blogg, S. and R. Soeharno (2008). Coverage of HIV activities in Indonesia 2006-2007, AusAID & National AIDS Commission Indonesia..
- Country coordinating mechanism - Indonesia (2008). Indonesia response to HIV: Government and civil society partnership in 12 provinces.
- Devaney, M., Reid, G. and Baldwin, S. (2006). Situational analysis of illicit drug issues and responses in the Asia-Pacific region. ANCD Research Papers. J. Stokes. Canberra, Australian National Council on Drugs: 215.
- Indonesia National AIDS Commission (2007). UNGASS report 2006-2007.
- International Harm Reduction Association (2008). Harm Reduction and Human Rights: The Global Response to Injection-Driven HIV Epidemics:
- International Harm Reduction Association (IHRA) (2007). Conference abstracts book. 18th International Conference on the Reduction of Drug Related Harm, Warsaw, Poland.
- International Harm Reduction Development Program (2008). Harm reduction developments 2008. New York.
- Jurgens, R. (2007). Interventions to address HIV in prisons: drug dependence treatments. Evidence for action technical papers. Geneva, World Health Organisation (WHO).
- Mesquita, F., I. Winarso, et al. (2007). "Public health the leading force of the Indonesian response to the HIV/AIDS crisis among people who inject drugs." Harm Reduction Journal 4(1): 9.
- Reid, G., M. L. Devaney, et al. (2008). "Harm reduction programmes in the Asia-Pacific Region." Drug & Alcohol Review 27(1): 95-8.
- Sharma, M., E. Oppenheimer, et al. (2009). "A situation update on HIV epidemics among people who inject drugs and national responses in South-East Asia Region." AIDS (Accepted for publication).
- Siregar, K. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - Indonesia". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use
- The Jakarta Post. (2008). "Methadone therapy to fight HIV/AIDS." Retrieved 28 Jan, 2009.
- UN Regional Task Force on Injecting Drug Use and HIV/AIDS for Asia and the Pacific (2009). Indonesia country advocacy brief - Injecting drug use and HIV/AIDS (Draft).
- World Health Organization (2008). HIV/AIDS care and treatment for people who inject drugs in Asia and the Pacific: an essential practice guide. Geneva, WHO & UNODC: 68.

3. Other drug treatment (ODT)**ODT 1 - Detoxification****ODT 1.1: Number of sites providing detoxification**

Is detoxification available?	Yes		
Number of sites - data reported	23 sites		
Year of reported data	2008		
Reference	Fiellin, D. A., T. C. Green, et al. (2008). Combating the Twin Epidemics of HIV/AIDS and Drug Addiction: Opportunities for Progress and Gaps in Scale - A Report of the CSIS Task Force on HIV/AIDS, Center for Strategic and International Studies.		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	23		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Number of detoxification sites per 1000 IDUs	Low	Mid	High
	0.09	0.11	0.12

ODT 1.2: Number of IDUs receiving detoxification

Data reported	Detoxification available but number not known		
Year of reported data	2006		
Reference	<p>Mesquita, F., I. Winarso, et al. (2007). "Public health the leading force of the Indonesian response to the HIV/AIDS crisis among people who inject drugs." Harm Reduction Journal 4(1): 9.</p> <p>Devaney, M., Reid, G. and Baldwin, S. (2006). Situational analysis of illicit drug issues and responses in the Asia-Pacific region. ANCD Research Papers. J. Stokes. Canberra, Australian National Council on Drugs: 215.</p>		
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)	NK		
Final/Adjusted data for single point in time (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	147 191 140 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	184 500	212 500	240 000
INDICATOR: Percentage of IDUs in detoxification in a 12 month period	Low	Mid	High
	NK	NK	NK
INDICATOR: Percentage of IDUs in detoxification at a single point in time	Low	Mid	High
	NK	NK	NK

ODT 1.3: Number of all clients receiving detoxification in a 12 month period and/or at a single point in time

Data reported	Detoxification available but number not known		
Year of reported data	2006		
Reference	<p>Mesquita, F., I. Winarso, et al. (2007). "Public health the leading force of the Indonesian response to the HIV/AIDS crisis among people who inject drugs." Harm Reduction Journal 4(1): 9.</p> <p>Devaney, M., Reid, G. and Baldwin, S. (2006). Situational analysis of illicit drug issues and responses in the Asia-Pacific region. ANCD Research Papers. J. Stokes. Canberra, Australian National Council on Drugs: 215.</p>		
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)	NK		
Final/Adjusted data for single point in time (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	147 191 140 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	184 500	212 500	240 000
INDICATOR: Ratio of number of all clients in detoxification in a 12 month period : number of IDUs	Low	Mid	High
	NK	NK	NK
INDICATOR: Ratio of number of all clients in detoxification at a single point in time : number of IDUs	Low	Mid	High
	NK	NK	NK

ODT 2 - Residential rehabilitation

ODT 2.1: Number of sites providing residential rehabilitation

Is residential rehabilitation present?	Yes		
Number of sites - data reported	12 rehabilitation sites		
Year of reported data	2009		
Reference	(Unpublished). Combating the Twin Epidemics of HIV/AIDS and Drug Addiction: Opportunities for Progress and Gaps in Scale - A Report of the CSIS Task Force on HIV/AIDS, Center for Strategic and International Studies.		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	12		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	154 092 476 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	193 500	222 500	251 500
INDICATOR: Number of residential rehabilitation sites per 1000 IDUs	Low	Mid	High
	0.05	0.05	0.06

ODT 2.2: Number of IDUs in residential rehabilitation

Data reported	Residential rehabilitation present but number not known		
Year of reported data	2009		
Reference	(Unpublished). Combating the Twin Epidemics of HIV/AIDS and Drug Addiction: Opportunities for Progress and Gaps in Scale - A Report of the CSIS Task Force on HIV/AIDS, Center for Strategic and International Studies.		
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)	NK		
Final/Adjusted data for single point in time (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	154 092 476 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	193 500	222 500	251 500
INDICATOR: Percentage of IDUs in residential rehabilitation in a 12 month period	Low	Mid	High
	NK	NK	NK
INDICATOR: Percentage of IDUs in residential rehabilitation at a single point in time	Low	Mid	High
	NK	NK	NK

ODT 2.3: Number of all clients in residential rehabilitation

Data reported	Residential rehabilitation present but number not known		
Year of reported data	2009		
Reference	(Unpublished). Combating the Twin Epidemics of HIV/AIDS and Drug Addiction: Opportunities for Progress and Gaps in Scale - A Report of the CSIS Task Force on HIV/AIDS, Center for Strategic and International Studies.		
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)	NK		
Final/Adjusted data for single point in time (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	154 092 476 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	193 500	222 500	251 500
INDICATOR: Ratio of number of all drug users in residential rehabilitation in a 12 month period : number of IDUs	Low	Mid	High
	NK	NK	NK
INDICATOR: Ratio of number of all drug users in residential rehabilitation at a single point in time : number of IDUs	Low	Mid	High
	NK	NK	NK

ODT 3 - Outpatient psychosocial support, counselling and psychotherapy

ODT 3.1: Number of sites providing outpatient psychosocial support, counselling or psychotherapy treatment

Is outpatient psychosocial support, counselling or psychotherapy present?	No		
Number of sites - data reported	0 sites		
Year of reported data	2009		
Reference	World Health Organisation (2009). Global health ATLAS data.		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	0		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	154 092 476 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	193 500	222 500	251 500
INDICATOR: Number of outpatient psychosocial support, counselling or psychotherapy sites per 1000 IDUs	Low	Mid	High
	0	0	0

ODT 3.2: Number of IDUs receiving outpatient psychosocial support, counselling or psychotherapy treatment

Data reported	0 clients		
Year of reported data	2009		
Reference	World Health Organisation (2009). Global health ATLAS data.		
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)	0		
Final/Adjusted data for single point in time (to be used as indicator numerator)	0		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	154 092 476 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	193 500	222 500	251 500
INDICATOR: Percentage of IDUs in outpatient psychosocial support, counselling or psychotherapy in a 12 month period	Low	Mid	High
	0	0	0
INDICATOR: Percentage of IDUs receiving outpatient psychosocial support, counselling or psychotherapy at a single point in time	Low	Mid	High
	0	0	0

ODT 3.3: Number of all clients receiving outpatient psychosocial support, counselling or psychotherapy treatment

Data reported	0 clients		
Year of reported data	2009		
Reference	World Health Organisation (2009). Global health ATLAS data.		
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)	0		
Final/Adjusted data for single point in time (to be used as indicator numerator)	0		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	154 092 476 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	193 500	222 500	251 500
INDICATOR: Ratio of number of all drug users in outpatient psychosocial support, counselling or psychotherapy in a 12 month period : number of IDUs	Low	Mid	High
	0	0	0
INDICATOR: Ratio of number of all drug users in outpatient psychosocial support, counselling or psychotherapy at a single point in time : number of IDUs	Low	Mid	High
	0	0	0

ODT 4 - Peer-based support groups

ODT 4.1: Number of peer-based support groups sites

Are Peer-based support groups present?	Yes		
Number of sites - data reported	42 NA meetings per week		
Year of reported data	2008		
Reference	Narcotics Anonymous World Services (2009). Quadrennial report for non-governmental organizations - July 2009.		
Adjustments	Assumed each meeting per week occurs at a separate location		
Final/Adjusted data (to be used as indicator numerator)	42		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Number of peer-based support groups sites per 1000 IDUs	Low	Mid	High
	0.17	0.19	0.22

ODT 4.2: Number of IDUs in peer-based support groups

Data reported	Narcotics Anonymous present but number not known		
Year of reported data	2008		
Reference	Narcotics Anonymous World Services (2009). Quadrennial report for non-governmental organizations - July 2009.		
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)	NK		
Final/Adjusted data for single point in time (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Percentage of IDUs in peer-based support groups in a 12 month period	Low	Mid	High
	NK	NK	NK
INDICATOR: Percentage of IDUs in peer-based support groups at a single point in time	Low	Mid	High
	NK	NK	NK

ODT 4.3: Number of all clients in peer-based support groups

Data reported	Narcotics Anonymous present but number not known		
Year of reported data	2008		
Reference	Narcotics Anonymous World Services (2009). Quadrennial report for non-governmental organizations - July 2009.		
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)	NK		
Final/Adjusted data for single point in time (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
INDICATOR: Ratio of number of all drug users in peer-based support groups in a 12 month period : number of IDUs	Low	Mid	High
	NK	NK	NK
INDICATOR: Ratio of number of all drug users in peer-based support groups at a single point in time : number of IDUs	Low	Mid	High
	NK	null	null

ODT 5 - Drug treatment (treatment type not specified)

ODT 5.1: Number of drug treatment sites (treatment type not specified)

Type of drug treatment available	Unspecified		
Number of sites - data reported	71 treatment programs including hospitals, health offices, prisons and rehabilitation centres, as well as from 31 provincial police offices There has been a surge in the number of privately owned treatment centres		
Year of reported data	2006		
Reference	ACCORD (2006). Indonesia. Country Summary. Devaney, M., Reid, G. and Baldwin, S. (2006). Situational analysis of illicit drug issues and responses in the Asia-Pacific region. ANCD Research Papers. J. Stokes. Canberra, Australian National Council on Drugs: 215.		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	71		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	147 191 140 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	184 500	212 500	240 000
INDICATOR: Number of drug treatment sites per 1000 IDUs	Low	Mid	High
	0.30	0.33	0.38

ODT 5.2: Number of IDUs in drug treatment (treatment type not specified)

Data reported	Drug treatment available but number of IDUs in treatment not known		
Year of reported data	2006		
Reference	ACCORD (2006). Indonesia. Country Summary. Devaney, M., Reid, G. and Baldwin, S. (2006). Situational analysis of illicit drug issues and responses in the Asia-Pacific region. ANCD Research Papers. J. Stokes. Canberra, Australian National Council on Drugs: 215.		
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)	NK		
Final/Adjusted data for single point in time (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	147 191 140 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	184 500	212 500	240 000
INDICATOR: Percentage of IDUs in drug treatment not specified/drug treatment combined in a 12 month period	Low	Mid	High
	NK	NK	NK
INDICATOR: Percentage of IDUs in drug treatment not specified/drug treatment combined at a single point in time	Low	Mid	High
	NK	NK	NK

ODT 5.3: Number of all clients in drug treatment (treatment type not specified)

Data reported	Drug treatment available but number of clients in treatment not known		
Year of reported data	2006		
Reference	<p>ACCORD (2006). Indonesia. Country Summary.</p> <p>Devaney, M., Reid, G. and Baldwin, S. (2006). Situational analysis of illicit drug issues and responses in the Asia-Pacific region. ANCD Research Papers. J. Stokes. Canberra, Australian National Council on Drugs: 215.</p>		
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)	NK		
Final/Adjusted data for single point in time (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	147 191 140 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	184 500	212 500	240 000
INDICATOR: Ratio of number of all drug users in drug treatment not specified/drug treatment combined in a 12 month period : number of IDUs	Low	Mid	High
	NK	NK	NK
INDICATOR: Ratio of number of all drug users in drug treatment not specified/drug treatment combined at a single point in time : number of IDUs	Low	Mid	High
	NK	NK	NK

ODT 6 - Drug treatment in prisons

ODT 6.1: Number of prison drug treatment sites

Type of drug treatment in prisons?	
Number of sites - data reported	Individual counselling, cognitive-behavioural therapy group, therapeutic communities, drug free units, self help groups
Year of reported data	2007
Reference	World Health Organization Regional Office for South-East Asia (2007). HIV prevention, care and treatment in prisons in South-East Asia. New Delhi, World Health Organization, .
Adjustments	
Final/Adjusted data	

ODT 6.2: Number of IDUs in drug treatment in prisons

Data reported	
Year of reported data	
Reference	
Adjustments	
Final/Adjusted data for 12 month period	
Final/Adjusted data for single point in time	

ODT 6.3: Number of all clients in drug treatment in prisons

Data reported	
Year of reported data	
Reference	
Adjustments	
Final/Adjusted data for 12 month period	
Final/Adjusted data for single point in time	

ODT 7 - Compulsory detention as response to drug use

ODT 7.1: Number of compulsory detention sites for drug use

Number of sites - data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Number of compulsory detention sites for drug use per 1000 IDUs	Low	Mid	High

ODT 7.2: Number of IDUs in compulsory detention sites for drug use

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)			
Final/Adjusted data for single point in time (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs in compulsory detention in closed settings in a 12 month period	Low	Mid	High
INDICATOR: Percentage of IDUs in compulsory detention in closed settings at a single point in time	Low	Mid	High

ODT 7.3: Number of all drug users in compulsory detention sites for drug use

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)			
Final/Adjusted data for single point in time (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Ratio of all drug users in compulsory detention in closed settings in a 12 month period : number of IDUs	Low	Mid	High
INDICATOR: Ratio of all drug users in compulsory detention in closed settings at a single point in time : number of IDUs	Low	Mid	High

ODT: All documents reviewed

ASEAN and China Cooperative Operations in Response to Dangerous Drugs (ACCORD) (2005). Towards a drug free ASEAN and China 2015: Assessing ACCORD progress 2000-2005. UNODC Regional Centre for East Asia and the Pacific and Association of Southeast Asian Nations.

ASEAN and China Cooperative Operations in Response to Dangerous Drugs (ACCORD) (2006). Indonesia. Country Summary.

Devaney, M., Reid, G. and Baldwin, S. (2006). Situational analysis of illicit drug issues and responses in the Asia-Pacific region. ANCD Research Papers. J. Stokes. Canberra, Australian National Council on Drugs: 215.

International Harm Reduction Association (IHRA) (2007). Conference abstracts book. 18th International Conference on the Reduction of Drug Related Harm, Warsaw, Poland.

Joint United Nations Programme on HIV/AIDS (UNAIDS) (2005). AIDS epidemic update. Geneva, Joint United Nations Programme on HIV/AIDS (UNAIDS) and the World Health Organisation (WHO).

Mesquita, F., I. Winarso, et al. (2007). "Public health the leading force of the Indonesian response to the HIV/AIDS crisis among people who inject drugs." Harm Reduction Journal 4(1): 9.

World Health Organisation (2009). Global health ATLAS data.

4. HIV testing and counselling (T&C)

T&C 1: Availability of HIV T&C

Is T&C available?	Yes
Most recent year of data	2008
Reference	See references for other VCT indicators

T&C 2: Number of sites providing HIV T&C specifically targeting IDUs

Data reported	11 of 65 public health centres that offer NSP have been provided training in VCT		
Year of reported data	2006		
Reference	Mesquita, F., I. Winarso, et al. (2007). "Public health the leading force of the Indonesian response to the HIV/AIDS crisis among people who inject drugs." <i>Harm Reduction Journal</i> 4(1): 9.		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	11		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." <i>The Lancet</i> 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	147 191 140 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	184 500	212 500	240 000
INDICATOR: Number of targeted T&C sites per 1000 IDUs	Low	Mid	High
	0.05	0.05	0.06

T&C 3: Number of sites providing HIV T&C sites to the general population and also accessible to IDUs

Data reported	VCT available but number not known		
Year of reported data	2006		
Reference	Mesquita, F., I. Winarso, et al. (2007). "Public health the leading force of the Indonesian response to the HIV/AIDS crisis among people who inject drugs." <i>Harm Reduction Journal</i> 4(1): 9.		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." <i>The Lancet</i> 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	147 191 140 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	184 500	212 500	240 000
INDICATOR: Number of all T&C sites per 1000 IDUs	Low	Mid	High
	NK	NK	NK

T&C 4: Number of Individual IDUs who were tested for HIV in 12 month period

Data reported	13 579 IDUs accessed VCT in 94 provinces/districts/cities		
Year of reported data	2007		
Reference	Blogg, S. and R. Soeharno (2008). Coverage of HIV activities in Indonesia 2006-2007, AusAID & National AIDS Commission Indonesia..		
Adjustments	Assumed data for 12 month period		
Final/Adjusted data (to be used as indicator numerator)	13 579		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	149 505 318 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	187 500	216 000	244 000
INDICATOR: Percentage of individual IDUs accessing T&Cs in a 12 month period	Low	Mid	High
	5.57	6.29	7.24

T&C 5: Percentage of IDUs who were tested for HIV in a 12 month period and who know the result

Year of reported data	2008
Reference	WHO, UNAIDS., et al. (2009). Towards universal access: Scaling up priority HIV/AIDS interventions in the health sector - progress report 2009. Geneva, WHO.
Data reported for both male and female IDUs	36% IDUs received an HIV test in the last 12 months and know their results
Adjustments	
Final/Adjusted data	36%
Data reported for male IDUs	36% male IDUs received an HIV test in the last 12 months and know their results
Adjustments	
Final/Adjusted data	36.00%
Data reported for female IDUs	42% female IDUs received an HIV test in the last 12 months and know their results
Adjustments	
Final/Adjusted data	42.00%

T&C: All documents reviewed

Blogg, S. and R. Soeharno (2008). Coverage of HIV activities in Indonesia 2006-2007, AusAID & National AIDS Commission Indonesia..

Country coordinating mechanism - Indonesia (2008). Indonesia response to HIV: Government and civil society partnership in 12 provinces.

Indonesia National AIDS Commission (2007). UNGASS report 2006-2007.

International Harm Reduction Association (IHRA) (2007). Conference abstracts book. 18th International Conference on the Reduction of Drug Related Harm, Warsaw, Poland.

Mesquita, F., I. Winarso, et al. (2007). "Public health the leading force of the Indonesian response to the HIV/AIDS crisis among people who inject drugs." Harm Reduction Journal 4(1): 9.

UN Regional Task Force on Injecting Drug Use and HIV/AIDS for Asia and the Pacific (2009). Indonesia country advocacy brief - Injecting drug use and HIV/AIDS (Draft).

UNAIDS (2008). Report on the global AIDS epidemic. Geneva, UNAIDS: 362.

WHO, UNAIDS., et al. (2009). Towards universal access: Scaling up priority HIV/AIDS interventions in the health sector - progress report 2009. Geneva, WHO.

5. Anti-retro-viral (ARV) treatment**ARV 1: Number of sites providing ARV treatment**

Data reported	150 sites		
Year of reported data	2008		
Reference	WHO, UNAIDS., et al. (2009). Towards universal access: Scaling up priority HIV/AIDS interventions in the health sector - progress report 2009. Geneva, WHO.		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	150		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	151 807 655 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	190 500	219 000	248 000
HIV among IDU prevalence estimate (%)	Low	Mid	High
	31.70	42.50	53.30
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
Estimated number of HIV positive IDUs at year of reported data (to be used as indicator)	Low	Mid	High
	60388	93 075	132 184
INDICATOR: Number of ARV treatment sites per 1000 IDUs	Low	Mid	High
	0.60	0.68	0.79
INDICATOR: Number of ARV treatment sites per 1000 IDUs living with HIV	Low	Mid	High
	1.13	1.61	2.48

ARV 2: Number of IDUs receiving ARVs at a single point in time

Data reported	5406 IDUs on ARV [Defintion of IDUs not given]		
Year of reported data	2007		
Reference	Blogg, S. and R. Soeharno (2008). Coverage of HIV activities in Indonesia 2006-2007, AusAID & National AIDS Commission Indonesia..		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	5406		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	149 505 318 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	187 500	216 000	244 000
HIV among IDU prevalence estimate (%)	Low	Mid	High
	31.70	42.50	53.30
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
Estimated number of HIV positive IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	59438	91 800	130 052
INDICATOR: Ratio of IDUs on ART: 100 IDUs living with HIV	Low	Mid	High
	4.16	5.89	9.10

ARV 3: Restrictions on IDUs' access to ARVs

Do restrictions exist which limit IDUs' access to ARV treatment?	No restrictions
Year of reported data	2006
Reference	Mesquita, F., I. Winarso, et al. (2007). "Public health the leading force of the Indonesian response to the HIV/AIDS crisis among people who inject drugs." Harm Reduction Journal 4(1): 9.

ARV: All documents reviewed

Aceijas, C., E. Oppenheimer, et al. (2006). "Antiretroviral treatment for injecting drug users in developing and transitional countries 1 year before the end of the "Treating 3 million by 2005. Making it happen. The WHO strategy" ("3 by 5")." *Addiction* 101(9): 1246-53.

Asian Harm Reduction Network (AHRN) (2004). Scaling up provision of anti-retrovirals to injecting rug users and non-injecting drug users in Asia: World Health Organization "3 x 5" initiative, Asian Harm Reduction Network (AHRN).

Atmosukarto, I. I. (2008). Indonesia's experience pushing harm reduction forward.

Blogg, S. and R. Soeharno (2008). Coverage of HIV activities in Indonesia 2006-2007, AusAID & National AIDS Commission Indonesia..

Country coordinating mechanism - Indonesia (2007). Proposal form - round 7. Jakarta: 123.

Country coordinating mechanism - Indonesia (2008). Indonesia response to HIV: Government and civil society partnership in 12 provinces.

Indonesia National AIDS Commission (2007). UNGASS report 2006-2007.

International Harm Reduction Association (IHRA) (2007). Conference abstracts book. 18th International Conference on the Reduction of Drug Related Harm, Warsaw, Poland.

Mesquita, F., I. Winarso, et al. (2007). "Public health the leading force of the Indonesian response to the HIV/AIDS crisis among people who inject drugs." *Harm Reduction Journal* 4(1): 9.

UN Regional Task Force on Injecting Drug USE and HIV/AIDS for Asia and the Pacific (2009). Indonesia country advocacy brief - Injecting drug use and HIV/AIDS (Draft).

WHO, UNAIDS., et al. (2009). Towards universal access: Scaling up priority HIV/AIDS interventions in the health sector - progress report 2009. Geneva, WHO.

6. Condoms

Condoms 1: Availability of condom programs targeting IDUs

Are condom programs targeting IDUs available?	Yes
Comments	
Year	2007
Reference	Blogg, S. and R. Soeharno (2008). Coverage of HIV activities in Indonesia 2006-2007, AusAID & National AIDS Commission Indonesia..

Condoms 2: Number of sites distributing condoms to IDUs

Data reported	Condom programs for IDUs present but number not known		
Year of reported data	2007		
Reference	Blogg, S. and R. Soeharno (2008). Coverage of HIV activities in Indonesia 2006-2007, AusAID & National AIDS Commission Indonesia..		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	149 505 318 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	187 500	216 000	244 000
INDICATOR: Number of condom distribution sites targeting IDU per 1000 IDUs	Low	Mid	High
	NK	NK	NK

Condoms 3: Number of individual IDUs receiving condoms

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs receiving condoms in a 12 month period	Low	Mid	High

Condoms 4: Number of condoms distributed to IDUs

Data reported	Condom programs for IDUs present but number not known		
Year of reported data	2007		
Reference	Blogg, S. and R. Soeharno (2008). Coverage of HIV activities in Indonesia 2006-2007, AusAID & National AIDS Commission Indonesia..		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.13	0.14	0.16
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.		
General population 15-64 years of age at year of reported data	149 505 318 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	187 500	216 000	244 000
INDICATOR: Total number of condoms distributed per 12 month period per IDU	Low	Mid	High
	NK	NK	NK

Condoms: All documents reviewed

Blogg, S. and R. Soeharno (2008). Coverage of HIV activities in Indonesia 2006-2007, AusAID & National AIDS Commission Indonesia..

Country coordinating mechanism - Indonesia (2008). Indonesia response to HIV: Government and civil society partnership in 12 provinces.

International Harm Reduction Association (IHRA) (2007). Conference abstracts book. 18th International Conference on the Reduction of Drug Related Harm, Warsaw, Poland.

Sharma, M., E. Oppenheimer, et al. (2009). "A situation update on HIV epidemics among people who inject drugs and national responses in South-East Asia Region." AIDS (Accepted for publication).