

**This document was generated by the Reference Group to the United Nations on HIV and Injecting Drug Use.**

**The data included in this report reflect the results of a systematic search and review of data on a range of indicators reflecting the extent of services provided to people who inject drugs.**

**These data have been searched, reviewed and extracted according to decision rules developed by the Reference Group.**

**Some data have been adjusted to facilitate estimates of standard indicators across countries.**

**Details of the process for searching, grading and including data, along with their interpretation, are detailed in:**

Mathers B, Degenhardt L, Ali H, Wiessing L, Hickman M, Mattick R, et al. HIV prevention, treatment and care for people who inject drugs: A systematic review of global, regional and national coverage. *The Lancet* 2010. DOI:10.1016/S0140-6736(10)60232-2.

**For more information on the Reference Group, please go to: [www.IDURefGroup.Com](http://www.IDURefGroup.Com)**

Section	Page
Estimated number of people who inject drugs and number of injectors who are living with HIV	4
<b>1. Needle and syringe programs (NSPs)</b>	<b>5</b>
NSP 1: Availability of NSPs	
NSP 2: Number of NSP sites	
NSP 3: Number of pharmacy sites where needles and syringes are available for purchase	
NSP 4: Total number of sites where needles and syringes are available	
NSP 5: Number of individual IDUs in contact with NSPs in a 12 month period	
NSP 6: Number of NSP occasions of service (client contacts) in a 12 month period	
NSP 7: Number of needles and syringes distributed by NSPs in a 12 month period	
<b>2. Opioid substitution programs (OST)</b>	<b>10</b>
OST 1: Availability of opioid substitution treatment (OST)	
OST 2: Availability of methadone maintenance treatment (MMT)	
OST 3: Availability of buprenorphine maintenance treatment (BMT)	
OST 4: Availability of other forms of agonist OST	
OST 5: Dose and duration of MMT	
OST 6: Dose and duration of BMT	
OST 7: Total number of all sites providing OST	
OST 8: Number of sites providing MMT	
OST 9: Number of sites providing BMT	
OST 10: Number of sites providing other forms of agonist OST	
OST 11: Number of all clients in any OST at a single point in time	
OST 12: Number of all clients in MMT at a single point in time	
OST 13: Number of all clients in BMT at a single point in time	
OST 14: Number of all clients in other forms of OST at a single point in time	
OST 15: Number of IDUs in any OST at a single point in time	
OST 16: Number of IDUs in MMT at a single point in time	
OST 17: Number of IDUs in BMT at a single point in time	
OST 18: Number of IDUs in other forms of OST at a single point in time	
OST 19: Number of all clients receiving any OST in a 12 month period	
OST 20: Number of all clients receiving MMT in a 12 month period	
OST 21: Number of all clients receiving BMT in a 12 month period	
OST 22: Number of all clients receiving other forms of OST in a 12 month period	
OST 23: Number of IDUs receiving any OST in a 12 month period	
OST 24: Number of IDUs receiving MMT in a 12 month period	

<b>Section</b>	<b>Page</b>
OST 25: Number of IDUs receiving BMT in a 12 month period	
OST 26: Number of IDUs receiving other forms of OST in a 12 month period	
<b>3. Other Drug Treatment (ODT)</b>	<b>32</b>
<hr/>	
ODT 1: Detoxification	
ODT 1.1: Number of sites providing detoxification	
ODT 1.2: Number of IDUs receiving detoxification	
ODT 1.3: Number of all clients receiving detoxification in a 12 month period and/or at a single point in time	
ODT 2: Residential Rehabilitation	
ODT 2.1: Number of sites providing residential rehabilitation	
ODT 2.2: Number of IDUs in residential rehabilitation	
ODT 2.3: Number of all clients in residential rehabilitation	
ODT 3: Outpatient psychosocial support, counselling and psychotherapy	
ODT 3.1: Number of sites providing outpatient psychosocial support, counselling or psychotherapy	
ODT 3.2: Number of IDUs receiving outpatient psychosocial support, counselling or psychotherapy treatment	
ODT 3.3: Number of all clients receiving outpatient psychosocial support, counselling or psychotherapy treatment	
ODT 4: Peer-based support groups	
ODT 4.1: Number of sites providing peer-based support groups	
ODT 4.2: Number of IDUs in peer-based support groups	
ODT 4.3: Number of all clients in peer-based support groups	
ODT 5: Drug treatment (treatment type not specified)	
ODT 5.1: Number of sites providing unspecified drug treatment	
ODT 5.2: Number of IDUs receiving unspecified drug treatment	
ODT 5.3: Number of all clients receiving unspecified drug treatment	
ODT 6: Drug treatment in prisons	
ODT 6.1: Number of drug treatment sites located in prisons	
ODT 6.2: Number of IDUs receiving drug treatment in prisons	
ODT 6.3: Number of all clients receiving drug treatment in prisons	
ODT 7: Compulsory drug treatment	
ODT 7.1: Number of compulsory detention sites for drug use	
ODT 7.2: Number of IDUs in compulsory detention sites for drug use	
ODT 7.3: Number of all drug users in compulsory detention sites for drug use	
<b>4. HIV testing and counselling (T&amp;C)</b>	<b>49</b>
<hr/>	
T&C 1: Availability of HIV T&C	
T&C 2: Number of sites providing HIV T&C that specifically targets IDUs	

<b>Section</b>	<b>Page</b>
T&C 3: Number of T&C sites providing HIV T& to the general population and also accessible to IDUs	
T&C 4: Number of individual IDUs who were tested for HIV in a 12 month period	
T&C 5: Percentage of IDUs who were tested for HIV in a 12 month period and who know the result	
<b>5. Anti-retro-viral (ARV) treatment</b>	<b>52</b>
<hr/>	
ARV 1: Number of sites providing ARV treatment	
ARV 2: Number of IDUs receiving ARVs at a single point in time	
ARV 3: Restrictions on IDUs' access to ARVs	
<b>6. Condoms</b>	<b>55</b>
<hr/>	
Condoms 1: Availability of condom programs targeting IDUs	
Condoms 2: Number of sites distributing condoms to IDUs	
Condoms 3: Number of individual IDUs receiving condoms	
Condoms 4: Number of condoms distributed to IDUs	

## Philippines (East and South East Asia)

### Estimated number of people who inject drugs and number of injectors who are living with HIV

Estimated prevalence of IDU among general population aged 15-64 years (%)	Low	Mid	High
	0.02	0.03	0.04
Year of IDU prevalence estimate	2007		
Reference for IDU prevalence estimate	National Epidemiology Center Department of Health Philippines (2007). Estimate of adults living with HIV in the Philippines.		
Estimated prevalence of HIV among people who inject (%)	Low	Mid	High
	0.01	0.43	0.85
Year of HIV prevalence among IDU estimate	2007		
Reference for HIV prevalence among IDU estimate	National Epidemiology Center Department of Health Philippines (2007). Estimate of adults living with HIV in the Philippines.		
General population 15-64 years of age in 2008	55 654 861 (source: UN Population Division, 2009)		
Estimated IDU population in 2008	Low	Mid	High
	10 500	15 500	21 000
Estimated number of IDUs living with HIV in 2008	Low	Mid	High
	1	67	178

## 1. Needle and syringe programs (NSPs)

### NSP 1: Availability of NSPs

Are NSPs available?	Yes
Comments	
Most recent year of documentation	2009
Reference	See references for other NSP indicators
When were NSPs first introduced?	
Reference	
Are needles and syringes available for purchase from pharmacies?	
Most recent year of documentation	
Reference	

### NSP 2: Number of NSP sites

Data reported	3 NSP sites		
Year of reported data	2008		
Reference	<p>UNAIDS (2008). Universal Access Country Report - the Philippines. Makati City.</p> <p>Mesquita, F., D. Jacka, et al. (2008). "Accelerating harm reduction interventions to confront the HIV epidemic in the Western Pacific and Asia: the role of WHO (WPRO)." Harm Reduction Journal 5(1): 26.</p> <p>WHO, UNAIDS., et al. (2009). Towards universal access: Scaling up priority HIV/AIDS interventions in the health sector - progress report 2009. Geneva, WHO.</p>		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	3		
IDU prevalence estimate (%)	Low	Mid	High
	0.02	0.03	0.04
Reference	National Epidemiology Center Department of Health Philippines (2007). Estimate of adults living with HIV in the Philippines.		
General population 15-64 years of age at year of reported data	55 654 861 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	10 500	15 500	21 000
INDICATOR: Number of NSP sites per 1000 IDUs	Low	Mid	High
	0.14	0.19	0.29

## NSP 3: Number of pharmacy sites where needles and syringes are available for purchase

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Number of pharmacy sites per 1000 IDUs	Low	Mid	High

## NSP 4: Total number of sites where needles and syringes are available

Total number (NSP sites + Pharmacy sites)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Total number of sites per 1000 IDUs	Low	Mid	High

## NSP 5: Number of individual IDUs in contact with NSPs in a 12 month period

Data reported	Currently 800 IDUs reached by prevention services including provision of clean needles/syringes		
Year of reported data	2008		
Reference	Mesquita, F., D. Jacka, et al. (2008). "Accelerating harm reduction interventions to confront the HIV epidemic in the Western Pacific and Asia: the role of WHO (WPRO)." Harm Reduction Journal 5(1): 26.		
Adjustments	Assumed all clients accessed NSP  Assumed 12 month period is referred to		
Final/Adjusted data (to be used as indicator numerator)	800		
IDU prevalence estimate (%)	Low	Mid	High
	0.02	0.03	0.04
Reference	National Epidemiology Center Department of Health Philippines (2007). Estimate of adults living with HIV in the Philippines.		
General population 15-64 years of age at year of reported data	55 654 861 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	10 500	15 500	21 000
INDICATOR: Percentage of IDUs in contact with NSPs in a 12 month period	Low	Mid	High
	3.8	5.2	7.6

## NSP 6: Number of NSP occasions of service (client contacts) in a 12 month period

Data reported	NSP present but number not known		
Year of reported data	2008		
Reference	UNAIDS (2008). Universal Access Country Report - the Philippines. Makati City.  Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.  Mesquita, F., D. Jacka, et al. (2008). "Accelerating harm reduction interventions to confront the HIV epidemic in the Western Pacific and Asia: the role of WHO (WPRO)." Harm Reduction Journal 5(1): 26.		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.02	0.03	0.04
Reference	National Epidemiology Center Department of Health Philippines (2007). Estimate of adults living with HIV in the Philippines.		
General population 15-64 years of age at year of reported data	55 654 861 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	10 500	15 500	21 000
INDICATOR: Number of NSP occasions of service (client contacts) in a 12 month period per IDU	Low	Mid	High
	NK	NK	NK

## NSP 7: Number of needles and syringes distributed by NSPs in a 12 month period

<b>Data reported</b>	50000 needles and syringes distributed		
<b>Year of reported data</b>	2008		
<b>Reference</b>	<p>UNAIDS (2008). Universal Access Country Report - the Philippines. Makati City.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p> <p>WHO, UNAIDS., et al. (2009). Towards universal access: Scaling up priority HIV/AIDS interventions in the health sector - progress report 2009. Geneva, WHO.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	50 000		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	National Epidemiology Center Department of Health Philippines (2007). Estimate of adults living with HIV in the Philippines.		
<b>General population 15-64 years of age at year of reported data</b>	55 654 861 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	15 500	21 000
<b>INDICATOR: Total number of needles/syringes distributed in a 12 month period per IDU</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	2.38	3.2	4.76

**NSP: All documents reviewed**

Asian Development Bank (2009). Situation Analysis and response report: IDU component.

Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.

Devaney, M., Reid, G. and Baldwin, S. (2006). Situational analysis of illicit drug issues and responses in the Asia-Pacific region. ANCD Research Papers. J. Stokes. Canberra, Australian National Council on Drugs: 215.

Knoess, J. (2006). HIV/AIDS and Intravenous Drug Use in Asia: A mapping of existing HIV/AIDS and harm reduction programs, Development Oriented Drug Control Program GTZ Eschborn: 179.

Knoess, J. (2006). HIV/AIDS and Intravenous Drug Use in Asia: A mapping of existing HIV/AIDS and Harm Reduction Programs, Development Oriented Drug Control Program.

Madeline S. Salva Technical Officer Office of the WHO Representative for the Philippines (2009). Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Reference Group to the UN on HIV and Injecting Drug Use. Manila.

Mesquita, F., D. Jacka, et al. (2008). "Accelerating harm reduction interventions to confront the HIV epidemic in the Western Pacific and Asia: the role of WHO (WPRO)." Harm Reduction Journal 5(1): 26.

Reid, G., M. L. Devaney, et al. (2008). "Harm reduction programmes in the Asia-Pacific Region." Drug & Alcohol Review 27(1): 95-8.

Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.

The global Fund (2008). Grant performance report - Accelerating STI and HIV prevention and care through intensified delivery of services to vulnerable groups and people living with HIV in strategic areas in the Philippines.

UNAIDS (2008). Universal Access Country Report - the Philippines. Makati City.

WHO, UNAIDS., et al. (2009). Towards universal access: Scaling up priority HIV/AIDS interventions in the health sector - progress report 2009. Geneva, WHO.

**2. Opioid substitution treatment (OST)****OST 1: Availability of opioid substitution treatment (OST)**

<b>Are any forms of agonist OST available?</b>	No
<b>Comments</b>	
<b>Most recent year of documentation</b>	2009
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>
<b>When was agonist OST first available?</b>	
<b>Reference</b>	

**OST 2: Availability of methadone maintenance treatment (MMT)**

<b>Is MMT available?</b>	No
<b>Comments</b>	
<b>Most recent year of documentation</b>	2009
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>
<b>When was MMT first available?</b>	
<b>Reference</b>	

## OST 3: Availability of buprenorphine maintenance treatment (BMT)

Is BMT available?	no
Comments	
Most recent year of documentation	2009
Reference	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>
When was BMT first available?	
Reference	

## OST 4: Availability of other forms of agonist OST

Are other forms of OST available?	No
Comments	
Most recent year of documentation	2009
Reference	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>
When were other forms of OST first available?	
Reference	

## OST 5: Dose and duration of MMT

Average/standard maintenance dose of MMT	
Comments	
Year	
Reference	
Average/standard duration of MMT (range)	
Comments	
Year	
Reference	

## OST 6: Dose and duration of BMT

<b>Average/standard maintenance dose of BMT</b>	
<b>Comments</b>	
<b>Year</b>	
<b>Reference</b>	
<b>Average/standard duration of BMT (range)</b>	
<b>Comments</b>	
<b>Year</b>	
<b>Reference</b>	

## OST 7: Total number of all sites providing OST

<b>Data reported</b>	OST not available		
<b>Year of reported data</b>	2009		
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	0		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	National Epidemiology Center Department of Health Philippines (2007). Estimate of adults living with HIV in the Philippines.		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Number of OST sites per 1000 IDUs</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0	0	0

## OST 8: Number of sites providing MMT

<b>Data reported</b>	MMT not available		
<b>Year of reported data</b>	2009		
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	0		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	National Epidemiology Center Department of Health Philippines (2007). Estimate of adults living with HIV in the Philippines.		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Number of MMT sites per 1000 IDUs</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0	0	0

## OST 9: Number of sites providing BMT

Data reported	BMT not available		
Year of reported data	2009		
Reference	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	0		
IDU prevalence estimate (%)	Low	Mid	High
	0.02	0.03	0.04
Reference	National Epidemiology Center Department of Health Philippines (2007). Estimate of adults living with HIV in the Philippines.		
General population 15-64 years of age at year of reported data	56 957 007 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	10 500	16 000	21 500
INDICATOR: Number of BMT sites per 1000 IDUs	Low	Mid	High
	0	0	0

## OST 10: Number of sites providing other forms of agonist OST

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Number of sites providing other forms of OST per 1000 IDUs	Low	Mid	High

## OST 11: Number of all clients in any OST at a single point in time

<b>Data reported</b>	OST not available		
<b>Year of reported data</b>	2009		
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	0		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	<p>Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.</p> <p>Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.</p>		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on any OST at census date : 100 IDUs</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0	0	0

## OST 12: Number of all clients in MMT at a single point in time

<b>Data reported</b>	OST not available		
<b>Year of reported data</b>	2009		
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	0		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	<p>Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.</p> <p>Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.</p>		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on MMT at census date : 100 IDUs</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0	0	0

## OST 13: Number of all clients in BMT at a single point in time

<b>Data reported</b>	OST not available		
<b>Year of reported data</b>	2009		
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	0		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	<p>Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.</p> <p>Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.</p>		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on BMT at census date : 100 IDUs</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0	0	0

## OST 14: Number of all clients in other forms of OST at a single point in time

<b>Data reported</b>	OST not available		
<b>Year of reported data</b>	2009		
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	0		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	<p>Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.</p> <p>Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.</p>		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on other forms of OST at census date : 100 IDUs</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0	0	0

## OST 15: Number of IDUs in any OST at a single point in time

<b>Data reported</b>	OST not available		
<b>Year of reported data</b>	2009		
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	0		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	<p>Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." <i>The Lancet</i> 372(9651): 1733-1745.</p> <p>Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.</p>		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Percentage of IDUs in OST at a single point in time</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0	0	0

## OST 16: Number of IDUs in MMT at a single point in time

<b>Data reported</b>	OST not available		
<b>Year of reported data</b>	2009		
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	0		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	<p>Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." <i>The Lancet</i> 372(9651): 1733-1745.</p> <p>Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.</p>		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Percentage of IDUs in MMT at a single point in time</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0	0	0

## OST 17: Number of IDUs in BMT at a single point in time

<b>Data reported</b>	OST not available		
<b>Year of reported data</b>	2009		
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	0		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	<p>Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.</p> <p>Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.</p>		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Percentage of IDUs in BMT at a single point in time</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0	0	0

## OST 18: Number of IDUs in other forms of OST at a single point in time

<b>Data reported</b>	OST not available		
<b>Year of reported data</b>	2009		
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	0		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	<p>Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." <i>The Lancet</i> 372(9651): 1733-1745.</p> <p>Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.</p>		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Percentage of IDUs in other forms of OST at a single point in time</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0	0	0

## OST 19: Number of all clients receiving any OST in a 12 month period

<b>Data reported</b>	OST not available		
<b>Year of reported data</b>	2009		
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	0		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	<p>Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.</p> <p>Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.</p>		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on any OST in a 12 month period : 100 IDUs</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0	0	0

## OST 20: Number of all clients receiving MMT in a 12 month period

<b>Data reported</b>	OST not available		
<b>Year of reported data</b>	2009		
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	0		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	<p>Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.</p> <p>Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.</p>		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on MMT in a 12 month period : 100 IDUs</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0	0	0

## OST 21: Number of all clients receiving BMT in a 12 month period

<b>Data reported</b>	OST not available		
<b>Year of reported data</b>	2009		
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	0		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	<p>Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.</p> <p>Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.</p>		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on BMT in a 12 month period : 100 IDUs</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0	0	0

## OST 22: Number of all clients receiving other forms of OST in a 12 month period

<b>Data reported</b>	OST not available		
<b>Year of reported data</b>	2009		
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	0		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	<p>Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.</p> <p>Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.</p>		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Ratio of total number of all clients (including IDUs and non-IDUs) on other forms of OST in a 12 month period : 100 IDUs</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0	0	0

## OST 23: Number of IDUs receiving any OST in a 12 month period

<b>Data reported</b>	OST not available		
<b>Year of reported data</b>	2009		
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	0		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	<p>Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.</p> <p>Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.</p>		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Percentage of IDUs receiving OST in a 12 month period</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0	0	0

## OST 24: Number of IDUs receiving MMT in a 12 month period

<b>Data reported</b>	OST not available		
<b>Year of reported data</b>	2009		
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	0		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	<p>Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.</p> <p>Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.</p>		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Percentage of IDUs receiving MMT in a 12 month period</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0	0	0

## OST 25: Number of IDUs receiving BMT in a 12 month period

<b>Data reported</b>	OST not available		
<b>Year of reported data</b>	2009		
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	0		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	<p>Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.</p> <p>Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.</p>		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Percentage of IDUs receiving BMT in a 12 month period</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0	0	0

## OST 26: Number of IDUs receiving other forms of OST in a 12 month period

<b>Data reported</b>	OST not available		
<b>Year of reported data</b>	2009		
<b>Reference</b>	<p>UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.</p> <p>Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.</p> <p>Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.</p> <p>Salva, M. S. (Technical Officer), Office of the WHO Representative for the Philippines. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 5 May 2009.</p>		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	0		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	<p>Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." <i>The Lancet</i> 372(9651): 1733-1745.</p> <p>Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.</p>		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Percentage of IDUs receiving other forms of OST at a single point in time</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0	0	0

**OST: All documents reviewed**

Asian Development Bank (2009). Situation Analysis and response report: IDU component.

Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.

Devaney, M., Reid, G. and Baldwin, S. (2006). Situational analysis of illicit drug issues and responses in the Asia-Pacific region. ANCD Research Papers. J. Stokes. Canberra, Australian National Council on Drugs: 215.

Madeline S. Salva Technical Officer Office of the WHO Representative for the Philippines (2009). Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Reference Group to the UN on HIV and Injecting Drug Use. Manila.

Salas, V. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 12 May 2009.

UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.

UNAIDS (2008). Universal Access Country Report - the Philippines. Makati City.

**3. Other drug treatment (ODT)****ODT 1 - Detoxification****ODT 1.1: Number of sites providing detoxification**

<b>Is detoxification available?</b>	Yes		
<b>Number of sites - data reported</b>	2 hospitals provide detoxification		
<b>Year of reported data</b>	2009		
<b>Reference</b>	Asian Development Bank (2009). Situation Analysis and response report: IDU component.		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	2		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.  Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 null		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Number of detoxification sites per 1000 IDUs</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.09	0.12	0.19

## ODT 1.2: Number of IDUs receiving detoxification

<b>Data reported</b>	Detoxification available but number not known		
<b>Year of reported data</b>	2009		
<b>Reference</b>	Asian Development Bank (2009). Situation Analysis and response report: IDU component.		
<b>Adjustments</b>			
<b>Final/Adjusted data for 12 month period (to be used as indicator numerator)</b>	NK		
<b>Final/Adjusted data for single point in time (to be used as indicator numerator)</b>	NK		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.  Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.		
<b>General population 15-64 years of age at year of reported data</b>	56 957 007 null		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	16 000	21 500
<b>INDICATOR: Percentage of IDUs in detoxification in a 12 month period</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	NK	NK	NK
<b>INDICATOR: Percentage of IDUs in detoxification at a single point in time</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	NK	NK	NK

### ODT 1.3: Number of all clients receiving detoxification in a 12 month period and/or at a single point in time

Data reported	Detoxification available but number not known		
Year of reported data	2009		
Reference	Asian Development Bank (2009). Situation Analysis and response report: IDU component.		
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)	NK		
Final/Adjusted data for single point in time (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.02	0.03	0.04
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.  Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.		
General population 15-64 years of age at year of reported data	56 957 007 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	10 500	16 000	21 500
INDICATOR: Ratio of number of all clients in detoxification in a 12 month period : number of IDUs	Low	Mid	High
	NK	NK	NK
INDICATOR: Ratio of number of all clients in detoxification at a single point in time : number of IDUs	Low	Mid	High
	NK	NK	NK

## ODT 2 - Residential rehabilitation

## ODT 2.1: Number of sites providing residential rehabilitation

Is residential rehabilitation present?	Yes		
Number of sites - data reported	70 residential rehabilitation facilities Court order is required for admission, minimum period of rehabilitation is 6 months as defined by law		
Year of reported data	2008		
Reference	Asian Development Bank (2009). Situation Analysis and response report: IDU component.		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	70		
IDU prevalence estimate (%)	Low	Mid	High
	0.02	0.03	0.04
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745. Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.		
General population 15-64 years of age at year of reported data	55 654 861 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	10 500	15 500	21 000
INDICATOR: Number of residential rehabilitation sites per 1000 IDUs	Low	Mid	High
	3.33	4.52	6.67

## ODT 2.2: Number of IDUs in residential rehabilitation

Data reported	Residential rehabilitation present but number not known		
Year of reported data	2008		
Reference	Asian Development Bank (2009). Situation Analysis and response report: IDU component.		
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)	NK		
Final/Adjusted data for single point in time (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.02	0.03	0.04
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.  Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.		
General population 15-64 years of age at year of reported data	55 654 861 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	10 500	15 500	21 000
INDICATOR: Percentage of IDUs in residential rehabilitation in a 12 month period	Low	Mid	High
	NK	NK	NK
INDICATOR: Percentage of IDUs in residential rehabilitation at a single point in time	Low	Mid	High
	NK	NK	NK

## ODT 2.3: Number of all clients in residential rehabilitation

<b>Data reported</b>	4700 clients admitted to drug treatment centres in 2006 Total capacity of these drug treatment centres is 10,000 - Centres remain underutilized		
<b>Year of reported data</b>	2006		
<b>Reference</b>	Asian Development Bank (2009). Situation Analysis and response report: IDU component.		
<b>Adjustments</b>			
<b>Final/Adjusted data for 12 month period (to be used as indicator numerator)</b>	4700		
<b>Final/Adjusted data for single point in time (to be used as indicator numerator)</b>	NK		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745. Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.		
<b>General population 15-64 years of age at year of reported data</b>	53 070 713 null		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 000	15 000	20 000
<b>INDICATOR: Ratio of number of all drug users in residential rehabilitation in a 12 month period : number of IDUs</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.24	0.31	0.47
<b>INDICATOR: Ratio of number of all drug users in residential rehabilitation at a single point in time : number of IDUs</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	NK	NK	NK

## ODT 3 - Outpatient psychosocial support, counselling and psychotherapy

## ODT 3.1: Number of sites providing outpatient psychosocial support, counselling or psychotherapy treatment

Is outpatient psychosocial support, counselling or psychotherapy present?	Yes		
Number of sites - data reported	3 outpatient rehabilitation facilities		
Year of reported data	2008		
Reference	Asian Development Bank (2009). Situation Analysis and response report: IDU component.		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	3		
IDU prevalence estimate (%)	Low	Mid	High
	0.02	0.03	0.04
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.  Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.		
General population 15-64 years of age at year of reported data	55 654 861 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	10 500	15 500	21 000
INDICATOR: Number of outpatient psychosocial support, counselling or psychotherapy sites per 1000 IDUs	Low	Mid	High
	0.14	0.19	0.29

### ODT 3.2: Number of IDUs receiving outpatient psychosocial support, counselling or psychotherapy treatment

<b>Data reported</b>	Psychosocial support and counselling present but number not known		
<b>Year of reported data</b>	2008		
<b>Reference</b>	Asian Development Bank (2009). Situation Analysis and response report: IDU component.		
<b>Adjustments</b>			
<b>Final/Adjusted data for 12 month period (to be used as indicator numerator)</b>	NK		
<b>Final/Adjusted data for single point in time (to be used as indicator numerator)</b>	NK		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." <i>The Lancet</i> 372(9651): 1733-1745.  Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.		
<b>General population 15-64 years of age at year of reported data</b>	55 654 861 null		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	15 500	21 000
<b>INDICATOR: Percentage of IDUs in outpatient psychosocial support, counselling or psychotherapy in a 12 month period</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	NK	NK	NK
<b>INDICATOR: Percentage of IDUs receiving outpatient psychosocial support, counselling or psychotherapy at a single point in time</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	NK	NK	NK

### ODT 3.3: Number of all clients receiving outpatient psychosocial support, counselling or psychotherapy treatment

Data reported	Psychosocial support and counselling present but number not known		
Year of reported data	2008		
Reference	Asian Development Bank (2009). Situation Analysis and response report: IDU component.		
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)	NK		
Final/Adjusted data for single point in time (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.02	0.03	0.04
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." <i>The Lancet</i> 372(9651): 1733-1745.  Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.		
General population 15-64 years of age at year of reported data	55 654 861 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	10 500	15 500	21 000
INDICATOR: Ratio of number of all drug users in outpatient psychosocial support, counselling or psychotherapy in a 12 month period : number of IDUs	Low	Mid	High
	NK	NK	NK
INDICATOR: Ratio of number of all drug users in outpatient psychosocial support, counselling or psychotherapy at a single point in time : number of IDUs	Low	Mid	High
	NK	NK	NK

## ODT 4 - Peer-based support groups

## ODT 4.1: Number of peer-based support groups sites

Are Peer-based support groups present?	Yes		
Number of sites - data reported	81 NA meetings per week		
Year of reported data	2008		
Reference	Narcotics Anonymous World Services (2009). Quadrennial report for non-governmental organizations - July 2009.		
Adjustments	Assumed each meeting per week occurs at a separate location		
Final/Adjusted data (to be used as indicator numerator)	81		
IDU prevalence estimate (%)	Low	Mid	High
	0.02	0.03	0.04
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.  Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.		
General population 15-64 years of age at year of reported data	55 654 861 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	10 500	15 500	21 000
INDICATOR: Number of peer-based support groups sites per 1000 IDUs	Low	Mid	High
	3.86	5.23	7.71

## ODT 4.2: Number of IDUs in peer-based support groups

Data reported	Narcotics Anonymous present but number not known		
Year of reported data	2008		
Reference	Narcotics Anonymous World Services (2009). Quadrennial report for non-governmental organizations - July 2009.		
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)	NK		
Final/Adjusted data for single point in time (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.02	0.03	0.04
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.  Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.		
General population 15-64 years of age at year of reported data	55 654 861 null		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	10 500	15 500	21 000
INDICATOR: Percentage of IDUs in peer-based support groups in a 12 month period	Low	Mid	High
	NK	NK	NK
INDICATOR: Percentage of IDUs in peer-based support groups at a single point in time	Low	Mid	High
	NK	NK	NK

## ODT 4.3: Number of all clients in peer-based support groups

<b>Data reported</b>	Narcotics Anonymous present but number not known		
<b>Year of reported data</b>	2008		
<b>Reference</b>	Narcotics Anonymous World Services (2009). Quadrennial report for non-governmental organizations - July 2009.		
<b>Adjustments</b>			
<b>Final/Adjusted data for 12 month period (to be used as indicator numerator)</b>	NK		
<b>Final/Adjusted data for single point in time (to be used as indicator numerator)</b>	NK		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.  Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.		
<b>General population 15-64 years of age at year of reported data</b>	55 654 861 null		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	15 500	21 000
<b>INDICATOR: Ratio of number of all drug users in peer-based support groups in a 12 month period : number of IDUs</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	NK	NK	NK
<b>INDICATOR: Ratio of number of all drug users in peer-based support groups at a single point in time : number of IDUs</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	NK	null	null

ODT 5 - Drug treatment (treatment type not specified)

ODT 5.1: Number of drug treatment sites (treatment type not specified)

Type of drug treatment available			
Number of sites - data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Number of drug treatment sites per 1000 IDUs	Low	Mid	High

ODT 5.2: Number of IDUs in drug treatment (treatment type not specified)

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)			
Final/Adjusted data for single point in time (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs in drug treatment not specified/drug treatment combined in a 12 month period	Low	Mid	High
INDICATOR: Percentage of IDUs in drug treatment not specified/drug treatment combined at a single point in time	Low	Mid	High

## ODT 5.3: Number of all clients in drug treatment (treatment type not specified)

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)			
Final/Adjusted data for single point in time (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Ratio of number of all drug users in drug treatment not specified/drug treatment combined in a 12 month period : number of IDUs	Low	Mid	High
INDICATOR: Ratio of number of all drug users in drug treatment not specified/drug treatment combined at a single point in time : number of IDUs	Low	Mid	High

## ODT 6 - Drug treatment in prisons

## ODT 6.1: Number of prison drug treatment sites

Type of drug treatment in prisons?	
Number of sites - data reported	
Year of reported data	
Reference	
Adjustments	
Final/Adjusted data	

## ODT 6.2: Number of IDUs in drug treatment in prisons

Data reported	
Year of reported data	
Reference	
Adjustments	
Final/Adjusted data for 12 month period	
Final/Adjusted data for single point in time	

## ODT 6.3: Number of all clients in drug treatment in prisons

Data reported	
Year of reported data	
Reference	
Adjustments	
Final/Adjusted data for 12 month period	
Final/Adjusted data for single point in time	

## ODT 7 - Compulsory detention as response to drug use

## ODT 7.1: Number of compulsory detention sites for drug use

Number of sites - data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Number of compulsory detention sites for drug use per 1000 IDUs	Low	Mid	High

## ODT 7.2: Number of IDUs in compulsory detention sites for drug use

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)			
Final/Adjusted data for single point in time (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs in compulsory detention in closed settings in a 12 month period	Low	Mid	High
INDICATOR: Percentage of IDUs in compulsory detention in closed settings at a single point in time	Low	Mid	High

## ODT 7.3: Number of all drug users in compulsory detention sites for drug use

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data for 12 month period (to be used as indicator numerator)			
Final/Adjusted data for single point in time (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Ratio of all drug users in compulsory detention in closed settings in a 12 month period : number of IDUs	Low	Mid	High
INDICATOR: Ratio of all drug users in compulsory detention in closed settings at a single point in time : number of IDUs	Low	Mid	High

**ODT: All documents reviewed**

Asian Development Bank (2009). Situation Analysis and response report: IDU component.

Castro, P. A. Personal Communication: Response to the "UN HIV and IDU Reference Group: Request to fill data gaps - the Philippines". Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 14 May 2009.

Devaney, M., Reid, G. and Baldwin, S. (2006). Situational analysis of illicit drug issues and responses in the Asia-Pacific region. ANCD Research Papers. J. Stokes. Canberra, Australian National Council on Drugs: 215.

UN Joint Team on AIDS Philippine (2009). Response to the request for information: HIV prevention services coverage for IDUs. Reference Group to the UN on HIV and Injecting Drug Use.

## 4. HIV testing and counselling (T&amp;C)

## T&amp;C 1: Availability of HIV T&amp;C

Is T&C available?	Yes
Most recent year of data	2008
Reference	See references for other VCT indicators

## T&amp;C 2: Number of sites providing HIV T&amp;C specifically targeting IDUs

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	0	0	0
INDICATOR: Number of targeted T&C sites per 1000 IDUs	Low	Mid	High

## T&amp;C 3: Number of sites providing HIV T&amp;C sites to the general population and also accessible to IDUs

Data reported	VCT available at 500 sites		
Year of reported data	2003		
Reference	International Planned Parenthood Federation (IPPF) (2007). Report card HIV prevention for girls and young women. Philippines, International Planned Parenthood Federation (IPPF).		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	500		
IDU prevalence estimate (%)	Low	Mid	High
	0.02	0.03	0.04
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.  Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.		
General population 15-64 years of age at year of reported data	49 268 834 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	9000	14 000	18 500
INDICATOR: Number of all T&C sites per 1000 IDUs	Low	Mid	High
	27.03	35.71	55.56

## T&amp;C 4: Number of Individual IDUs who were tested for HIV in 12 month period

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	0	0	0
INDICATOR: Percentage of individual IDUs accessing T&Cs in a 12 month period	Low	Mid	High

## T&amp;C 5: Percentage of IDUs who were tested for HIV in a 12 month period and who know the result

Year of reported data	2007
Reference	UNAIDS (2008). Report on the global AIDS epidemic. Geneva, UNAIDS: 362. WHO, UNAIDS., et al. (2009). Towards universal access: Scaling up priority HIV/AIDS interventions in the health sector - progress report 2009. Geneva, WHO.
Data reported for both male and female IDUs	4% IDUs received an HIV test in the last 12 months and know their results
Adjustments	
Final/Adjusted data	4.00%
Data reported for male IDUs	4% male IDUs received an HIV test in the last 12 months and know their results
Adjustments	
Final/Adjusted data	4.00%
Data reported for female IDUs	15% female IDUs received an HIV test in the last 12 months and know their results
Adjustments	
Final/Adjusted data	15.00%

**T&C: All documents reviewed**

Asian Development Bank (2009). Situation Analysis and response report: IDU component.

International Planned Parenthood Federation (IPPF) (2007). Report card HIV prevention for girls and young women. Phillipines, International Planned Parenthood Federation (IPPF).

Mesquita, F., D. Jacka, et al. (2008). "Accelerating harm reduction interventions to confront the HIV epidemic in the Western Pacific and Asia: the role of WHO (WPRO)." Harm Reduction Journal 5(1): 26.

UNAIDS (2008). Report on the global AIDS epidemic. Geneva, UNAIDS: 362.

UNAIDS (2008). Universal Access Country Report - the Philippines. Makati City.

WHO, UNAIDS., et al. (2009). Towards universal access: Scaling up priority HIV/AIDS interventions in the health sector - progress report 2009. Geneva, WHO.

**5. Anti-retro-viral (ARV) treatment****ARV 1: Number of sites providing ARV treatment**

<b>Data reported</b>	16 sites		
<b>Year of reported data</b>	2008		
<b>Reference</b>	WHO, UNAIDS., et al. (2009). Towards universal access: Scaling up priority HIV/AIDS interventions in the health sector - progress report 2009. Geneva, WHO.		
<b>Adjustments</b>			
<b>Final/Adjusted data (to be used as indicator numerator)</b>	16		
<b>IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.02	0.03	0.04
<b>Reference</b>	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.  Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.		
<b>General population 15-64 years of age at year of reported data</b>	55 654 861 (source: UN Population Division, 2009)		
<b>Estimated number of IDUs at year of reported data (to be used as indicator denominator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	10 500	15 500	21 000
<b>HIV among IDU prevalence estimate (%)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.01	0.43	0.85
<b>Reference</b>	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.  Upper and lower bounds of range are estimates only, these were calculated as per the methods outlined in Mathers et al 2008.		
<b>Estimated number of HIV positive IDUs at year of reported data (to be used as indicator)</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	1	67	178
<b>INDICATOR: Number of ARV treatment sites per 1000 IDUs</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	0.76	1.03	1.52
<b>INDICATOR: Number of ARV treatment sites per 1000 IDUs living with HIV</b>	<b>Low</b>	<b>Mid</b>	<b>High</b>
	89.64	240.06	15238.10

## ARV 2: Number of IDUs receiving ARVs at a single point in time

Data reported	Number of IDUs on ART not known		
Year of reported data	2008		
Reference	WHO, UNAIDS., et al. (2009). Towards universal access: Scaling up priority HIV/AIDS interventions in the health sector - progress report 2009. Geneva, WHO.		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.02	0.03	0.04
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.  Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.		
General population 15-64 years of age at year of reported data	55 654 861 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	10 500	15 500	21 000
HIV among IDU prevalence estimate (%)	Low	Mid	High
	0.01	0.43	0.85
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.  Upper and lower bounds of range are estimates only, these were calculated as per the methods outlined in Mathers et al 2008.		
Estimated number of HIV positive IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	1	67	178
INDICATOR: Ratio of IDUs on ART: 100 IDUs living with HIV	Low	Mid	High
	NK	NK	NK

## ARV 3: Restrictions on IDUs' access to ARVs

Do restrictions exist which limit IDUs' access to ARV treatment?	
Year of reported data	
Reference	

**ARV: All documents reviewed**

Aceijas, C., E. Oppenheimer, et al. (2006). "Antiretroviral treatment for injecting drug users in developing and transitional countries 1 year before the end of the "Treating 3 million by 2005. Making it happen. The WHO strategy" ("3 by 5")." *Addiction* 101(9): 1246-53.

Asian Development Bank (2009). *Situation Analysis and response report: IDU component*.

International Planned Parenthood Federation (IPPF) (2007). *Report card HIV prevention for girls and young women. Phillipines, International Planned Parenthood Federation (IPPF)*.

UNAIDS (2008). *Universal Access Country Report - the Philippines. Makati City*.

WHO, UNAIDS., et al. (2009). *Towards universal access: Scaling up priority HIV/AIDS interventions in the health sector - progress report 2009*. Geneva, WHO.

## 6. Condoms

### Condoms 1: Availability of condom programs targeting IDUs

Are condom programs targeting IDUs available?	Yes
Comments	
Year	2008
Reference	Mosende, Z. Y. (M & E Adviser), UNAIDS Country Office. Personal Communication: Number of Condoms distributed in Philippines. Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 10 March 2009.

### Condoms 2: Number of sites distributing condoms to IDUs

Data reported	Condom programs for IDUs present but number not known		
Year of reported data	2008		
Reference	Mosende, Z. Y. (M & E Adviser), UNAIDS Country Office. Personal Communication: Number of Condoms distributed in Philippines. Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 10 March 2009.		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.02	0.03	0.04
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." <i>The Lancet</i> 372(9651): 1733-1745.  Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.		
General population 15-64 years of age at year of reported data	55 654 861 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	10 500	15 500	21 000
INDICATOR: Number of condom distribution sites targeting IDU per 1000 IDUs	Low	Mid	High
	NK	NK	NK

## Condoms 3: Number of individual IDUs receiving condoms

Data reported			
Year of reported data			
Reference			
Adjustments			
Final/Adjusted data (to be used as indicator numerator)			
IDU prevalence estimate (%)	Low	Mid	High
Reference			
General population 15-64 years of age at year of reported data			
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
INDICATOR: Percentage of IDUs receiving condoms in a 12 month period	Low	Mid	High

## Condoms 4: Number of condoms distributed to IDUs

Data reported	Condom programs for IDUs present but number not known		
Year of reported data	2008		
Reference	Mosende, Z. Y. (M & E Adviser), UNAIDS Country Office. Personal Communication: Number of Condoms distributed in Philippines. Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 10 March 2009.		
Adjustments			
Final/Adjusted data (to be used as indicator numerator)	NK		
IDU prevalence estimate (%)	Low	Mid	High
	0.02	0.03	0.04
Reference	Mathers, B., L. Degenhardt, et al. (2008). "Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review." The Lancet 372(9651): 1733-1745.  Estimate of country level IDU prevalence not reported but for the purpose of this review this was estimated to be the population-weighted regional prevalence as reported in Mathers et al 2008.		
General population 15-64 years of age at year of reported data	55 654 861 (source: UN Population Division, 2009)		
Estimated number of IDUs at year of reported data (to be used as indicator denominator)	Low	Mid	High
	10 500	15 500	21 000
INDICATOR: Total number of condoms distributed per 12 month period per IDU	Low	Mid	High
	NK	NK	NK

**Condoms: All documents reviewed**

Asian Development Bank (2009). Situation Analysis and response report: IDU component.

International Planned Parenthood Federation (IPPF) (2007). Report card HIV prevention for girls and young women. Phillipines, International Planned Parenthood Federation (IPPF).

Mesquita, F., D. Jacka, et al. (2008). "Accelerating harm reduction interventions to confront the HIV epidemic in the Western Pacific and Asia: the role of WHO (WPRO)." *Harm Reduction Journal* 5(1): 26.

Mosende, Z. Y. (M & E Adviser), UNAIDS Country Office. Personal Communication: Number of Condoms distributed in Philippines. Manila, Philippines, 2009. Received by the Reference Group to the UN on HIV and Injecting Drug Use on 10 March 2009.

UNAIDS (2008). Universal Access Country Report - the Philippines. Makati City.